

This Document has been provided to you courtesy of Veterans-For-Change!

Feel free to pass to any veteran who might be able to use this information!

For thousands more files like this and hundreds of links to useful information, and hundreds of "Frequently Asked Questions, please go to:

Veterans-For-Change

Veterans-For-Change is a 501(c)(3) Non-Profit Corporation Tax ID #27-3820181

If Veteran's don't help Veteran's, who will?

We appreciate all donations to continue to provide information and services to Veterans and their families.

https://www.paypal.com/cgi-bin/webscr?cmd=_s-xclick&hosted_button_id=WGT2M5UTB9A78

Note:

VFC is not liable for source information in this document, it is merely provided as a courtesy to our members.



item 10 Number	05697 Not Scanned
Author	
Corporate Author	
Report/Article Title	Report of the Agent Orange Working Group Science Subpanel on Exposure Assessment, June 3, 1986
Journal/Book Title	
Year	1986
Month/Day	June 3
Color	
Number of Images	0
Descripton Notes	Includes printed presentation slides. Duplicates are of slides only.

REPORT OF THE AGENT ORANGE WORKING GROUP SCIENCE SUBPANEL ON EXPOSURE ASSESSMENT JUNE 3, 1986

A Report on the Assessment of the Exposure to Agent Orange Prepared by A Subpanel of the White House Domestic Policy Council Agent Orange Working Group*

*Domestic Policy Council
Agent Orange Working Group
Department of Health and
Human Services
200 Independence Avenue, S.W.
Room 614G
Washington, D.C. 20201

EXECUTIVE OFFICE OF THE PRESIDENT OFFICE OF SCIENCE AND TECHNOLOGY POLICY

WASHINGTON, D.C. 20506

June 4, 1986

MEMORANDUM FOR THE CHAIR, AGENT ORANGE WORKING GROUP SCIENCE PANEL

FROM:

ALVIN L. YOUNG, CHAIR, SCIENCE SUBPANEL

SUBJECT:

Report of the Science Subpanel on Exposure Assessment

On April 1, 1986, the Acting Assistant Secretary for Health and Vice-Chairman of the Domestic Policy Council's Agent Orange Working Group (AOWG) requested that I chair a Science Subpanel on Exposure Assessment.

Accordingly, I assembled a Science Subpanel of the AOWG and reviewed pertinent information on exposure assessment, examined the additional pilot data which had been developed by the U.S. Army and Joint Services Environmental Support Group, and evaluated the feasibility of a scientifically valid study of the possible long-term health effects which may have been caused by exposure to Agent Orange among combat veterans who served in Vietnam.

It is my pleasure to transmit to you the requested report. To have accomplished the tasks requested, let alone to do so in two months, is due entirely to the superb members of the Subpanel and the tremendous support and cooperation of the Army and Joint Serices Environmental Support Group and the Centers for Disease Control. The dedication of all parties testify to the concerns we all have for resolving issues surrounding the use of Agent Orange in Vietnam and the health of our Vietnam Veterans.

EXECUTIVE OFFICE OF THE PRESIDENT OFFICE OF SCIENCE AND TECHNOLOGY POLICY

WASHINGTON, D.C. 20506

May 28, 1986

MEMORANDUM FOR THE CHAIRMAN, AGENT ORANGE WORKING GROUP

THROUGH: CARL KELLER, CHAIR, SCIENCE PANEL

FROM: ALVIN L. YOUNG, SCIENCE SUBPANEL

SUBJECT: Conclusions of the AOWG Science Subpanel on

Exposure Assessment

The Science Subpanel concluded that the U.S. Army's Environmental Support Group has sought and obtained all military records pertinent to the use of herbicides in Vietnam. The Environmental Support Group staff is trained and qualified to have expertly reviewed and abstracted the records appropriate to exposure assessment.

From a thorough review of these military records, it appears that considerable misclassification of the individual's exposure status is possible; i.e., we found no way, based on military records, to verify an individual's exposure to herbicide or dioxin. Two issues were specifically recognized as influencing the degree of misclassification:

- a. Unit Dispersion On a substantial number of days, personnel in combat units eligible for the Agent Orange Study were not located together as a unit, rather they were dispersed geographically up to 20 kilometers on the same day.
- b. Incomplete Records The most complete records for herbicide applications in Vietnam are the "HERBS TAPES," records of the missions of OPERATION RANCH HAND. These tapes, originally computerized by the National Academy of Sciences in the early 1970s, were supplemented recently by the SERVICES HERBS TAPES which provide additional data on perimeter applications (including helicopter and ground application missions). Expert opinion suggested that an unknown, but apparently large proportion of firebase perimeter spray operations were never recorded. The degree to which these "unrecorded" operations may have influenced exposure is unknown.

After extensive review of military records during the past two years, it was apparent that the majority of veterans had never been within two kilometers of a sprayed area within a week of herbicide application. Additional pilot data reviewed at this time confirmed this finding, and the paucity of clearly exposed combat veterans makes it questionable whether a sufficient number can be assembled to conduct an epidemiological study of the type originally designed.

It is clear from the available data that health studies designed to assess the effects of Agent Orange and its associated dioxin can be be done on more appropriate populations than those identified through military records; e.g., industrial workers and commercial herbicide applicators.

Recent advances in analytical chemistry may make it feasible to identify chemical (e.g., 2,3,7,8-TCDD) or biological (DNA adducts) markers that will permit a more reliable exposure assessment.

RECOMMENDATION: This Subpanel recommends that any study of ground troops which is dependent upon military records for the assessment of exposure to herbicides, not be conducted without an additional method to verify exposure.



Washington, D.C. 20201

February 28, 1986

MEMORANDUM TO: Domestic Policy Council

Agent Orange Working Group

Members and Staff

FROM

: Dixon Arnett, Acting Chair

Agent Orange Working Group

SUBJECT

: Agent Orange CDC Study

The following is a statement for the record of the agreements reached by the Agent Orange Working Group of the Domestic Policy Council.

During recent months it has become apparent that it may not be possible to identify large numbers of Vietnam veterans who were clearly exposed to Agent Orange from existing military records. The Science Panel reported that only a small proportion of U.S. Army Combat veterans could be documented to have ever been very close to fixed-wing aerial applications of Agent Orange. This assessment was based on incomplete information, and the Science Panel recommended that additional pilot data should be generated and compared to exposure criteria in order to determine whether an Agent Orange Study of Combat Veterans can be expected to produce scientifically valid results. Meanwhile, the investigators at CDC have postponed interviewing study subjects for the Agent Orange Study pending approval of study design changes made necessary by this and other exposure assessment issues.

At its January 29, 1986 meeting, the Agent Orange Working Group reviewed the status of cohort selection for the Agent Orange Study being conducted by CDC, and accepted the report and recommendations from the Science Panel. As Acting Chair of the Working Group, I have directed the Science Panel to examine the additional pilot data which is being developed by the U.S. Army

and Joint Services Environmental Support Group, and to evaluate the feasibility of a scientifically valid study of the possible long-term health effects which may have been caused by exposure to Agent Orange among combat veterans who served in Vietnam. For this purpose, I proposed that a sub-panel, which could include appropriate scientists not already on the Science Panel, should be assembled to review pertinent information on exposure assessment and prepare a report of their evaluation to the Agent Orange Working Group before its next scheduled meeting.

cc: Dr. Ralph Bledsoe
Executive Office of
the President

Dr. William Roper The White House

REPORT OF THE AGENT ORANGE WORKING GROUP SCIENCE SUBPANEL ON EXPOSURE ASSESSMENT

June 3, 1986

At its meeting on January 29, 1986, the Agent Orange Working Group (AOWG) directed the Science Panel "to examine the additional pilot data which are being developed by the U.S. Army and Joint Services Environmental Support Group, and to evaluate the feasibility of a scientifically valid study of the possible long-term health effects which may have been caused by exposure to Agent Orange among combat veterans who served in Vietnam". Accordingly, a Subpanel of the AOWG was assembled to review pertinent information on exposure assessment, to examine the additional pilot data which have been developed by the U.S. Army and Joint Services Environmental Support Group, and to evaluate the feasibility of a scientifically valid study of the possible long-term health effects which may have been caused by exposure to Agent Orange among combat veterans who served in Vietnam.

The Subpanel consisted of the following members:

Alvin L. Young, Ph.D., Chairman Office of Science and Technology Policy Executive Office of the President

Donald G. Barnes, Ph.D. Office of Pesticides and Toxic Substances Environmental Protection Agency

Aaron Blair, Ph.D. Occupational Study Section National Cancer Institute

Jerome G. Bricker, Ph.D. OASD (Health Affairs)
Department of Defense

Richard S. Christian, C.R.M. U.S. Army and Joint Services Environmental Support Group

Marilyn Fingerhut, Ph.D. Industry Wide Studies Branch National Institute of Occupational Safety and Health

Han Kang, Dr. P.H.
Office of Environmental Epidemiology
Veterans Administration

Carl Keller, D.V.M., Ph.D.
National Institute of Environmental Health Sciences
National Institutes of Health

John E. Murray
Major General, USA (Retired)
DOD - Appointed Representative
Fairfax, Virginia

Barclay M. Shepard, M.D. Agent Orange Projects Office Veterans Administration

Peter Layde, M.D. (Observer) Center for Environmental Health Center for Disease Control

The Subpanel met on February 26; March 10; March 28; April 10; April 21; May 2; May 19, and May 27, 1986. This report is the Subpanel's evaluation prepared for the Agent Orange Working Group.

BACKGROUND

Public Law 95-151 (1980) directed the Veterans Administration (VA) to conduct an "epidemiological" study of United States veterans to assess the possible health effects of exposure to herbicides and dioxin during the Vietnam Conflict. Public Law 97-72 (1982) expanded this mandate to include the study of other environmental hazards or conditions which may have occurred in Vietnam. In January 1983, the design, conduct and analyses of health studies responsive to these laws were transferred by an Interagency Agreement from the VA to the Centers for Disease Control (CDC). In November 1983, CDC completed protocols on three complementary studies to address the health concerns of Vietnam veterans: The Vietnam Experience Study, the Agent Orange Study, and the Selected Cancers Study. CDC is currently conducting the Vietnam Experience Study and the Selected Cancers Study.

The Agent Orange Study was designed to look at the influence of Agent Orange applications on the health of Vietnam veterans. Achieving this goal was problematic because a critical component of such a study was that there existed an accurate assessment of exposure to Agent Orange. The hostile environment in Vietnam precluded guantitative assessments of human exposure. The collection of detailed military records were those appropriate to military herbicide operations, but not necessarily appropriate for follow-on health studies. Thus the November 1983 protocol for the Agent Orange Study proposed an approach to estimating

the opportunity for exposure to Agent Orange. At the time it was anticipated that large numbers of Vietnam combat veterans had been heavily and frequently exposed to Agent Orange. was even concern that unexposed individuals would be very difficult to identify. Thus, the basic approach was to score veterans' opportunity of exposure based on their proximity to known herbicide applications. Veterans' daily locations were to be abstracted from records of the men's units. The protocol noted that changes in methods might be required as new data became available. In addition, certain reviewers of that protocol, including members of the Agent Orange Advisory Panel of the Congressional Office of Technology Assessment (OTA) and the AOWG Science Panel, expressed concern about the validity of the approach to exposure assessment and the extent of opportunity for exposure to Agent Orange in this cohort. the November 1983 protocol, CDC has provided OTA and the AOWG Science Panel with two interim reports on the status of the exposure assessment issue. After reviewing these materials, neither the AOWG Science Panel nor OTA believed that sufficient data had been presented on the extent of exposure opportunities among those thought most likely to be exposed nor on the details of revised study methods to warrant proceeding with the Agent Orange Study at this time. Both review groups asked that a new comprehensive protocol for the Agent Orange Study be prepared by CDC in order to address concerns in the areas of 1) exposure assessment, 2) selection of study participants, and 3) data analysis. In addition, the Department of Health and Human Services (HHS) was directed to delay commencement of interviews for the Agent Orange Study, which was scheduled to begin in January 1986, until a revised protocol could be evaluated by appropriate review groups.

DEFINITION OF THE PROBLEM

The original study design by CDC provided that a comparison of health outcomes was to be made between a cohort of men who had little or no opportunity for contact with herbicide and a cohort of men who were highly likely to have been exposed to Agent Orange while in Vietnam. Both cohorts were to be selected from among U.S. Army draftees or single tour enlistees with rank El through E5 and who were assigned to combat units operating in III Corps in Vietnam during the period October 1966 through March 1969.

It was proposed that in the absence of direct measurements of exposures, the cohorts would be formed based on a combination of the distance (proximity to areas sprayed with Agent Orange) and frequency of encounters (the number of times during a selected period in relation to the proximity to sprayed areas). This required the linkage of records of spray missions with those of troop deployments. The Army and Joint Services Environmental Support Group has performed such a linkage and they have demonstrated that military records are sufficient

to locate the position of the combat battalions by geography and time they served in III Corps. Indeed, daily locations for company sized Army units (150-200 individuals) can be abstracted from military records and the location of virtually all the recorded herbicide applications has been identified and computerized. The number of days that a company was close to a spraying can therefore be accurately determined by computer matching of daily locations. Duty rosters (Morning Reports) for companies are available which identify individuals available for duty each day.

This report is organized around several issues which the Subpanel has reviewed, including how much Agent Orange might cause health effects, how much was present under varying conditions of exposure, possibilities for misclassification of exposure status, and results and evaluation of pilot data. These issues are discussed below in the form of questions, each with a brief summary discussion. Additional and more complete information is provided in the various appendices to this report. The titles/subject matter of the appendices attached to this report are listed below.

APPENDIX	TITLE/SUBJECT
I	Methodology and Results of Pilot Tests for Agent Orange Exposure Among Vietnam Veterans
II	The Evaluation of Vietnam War Records
III	The Assessment of Perimeter Applications of Military Herbicides in Vietnam
IV	Agent Orange Exposure Probability Modeling For Vietnam Field Conditions
V	Review of Epidemiologic Data on Humans Exposed to Dioxin-Contaminated Substances
VI	Toxicity Data, Risk Assessment and Exposure Scenarios For Military Herbicide Applications
VII	Utilization of Biological Samples to Assess Exposure to Agent Orange

DISCUSSIONS AND FINDINGS

1. What explicit and/or implicit criteria have been used to determine study subjects' exposure status in other epidemiological studies of the possible health effects associated with exposure to phenoxy acid herbicides and/or dioxin-contaminated substances? A review (Appendix V) of several epidemiological studies has not revealed any uniform or suggested definition of exposure, although all exposed individuals have generally been involved with herbicides or other suspect chemicals in an occupational setting or through environmental contamination (e.g., Seveso, Italy and Times Beach, Missouri).

In addition to those studies cited in Appendix V, two studies involving Vietnam veterans have attempted a crude exposure index. The CDC/VA Birth Defects Study (JAMA 252:903-912, 1984) employed an Agent Orange Exposure Opportunity Index based on information derived from military records and from information provided by Vietnam Veterans during the interviews. For the Exposure Opportunity Index the term "exposed at all" essentially meant that the assigned unit of a veteran had been within 2 Kilometers within 3 days of an Agent Orange application, or that the veteran had handled or cleaned-up herbicide while in Vietnam. Two major limitations of this "Exposure Opportunity Index" are that it is easy to mistakingly interpret higher values of the Index as greater exposures and inadvertently ascribe a dose response capability to the index, and the Index was inexorably confounded with combat experience.

In the Air Force Health Study (An Epidemiologic Investigation of Health Effects in Air Force Personnel Following Exposures to Herbicides, 1984) a crude exposure index was developed that incorporated a TCDD Weighting Factor and the number of gallons of TCDD-containing herbicide sprayed in Vietnam during the subject's tour. The weighting factor essentially separated from the total "at risk" cohort those subjects that served in Vietnam prior to July 1965, a period in which high levels of TCDD were thought to have been present in the herbicide. Air Force Study is a cohort study examining the health of the men who served in Operation Ranch Hand, the defoliation program, in comparison to a control group of men. While this crude exposure index cannot be an exact measure of actual exposure or body burden it was intended to provide some degree of useful inference when applied to groups of individuals who served in Operation Ranch Hand Units.

The Science Subpanel concluded that no useful model exists from current epidemiologic studies that adequately addresses the problems inherent in identifying an exposed cohort of Vietnam Veterans who had served in ground combat operations in Vietnam.

2. What is the quantity of Agent Orange, as used in Vietnam, which can be expected to induce detectable health effects of the type to be investigated during the Agent Orange Study interview and examination?

As with the case of appropriate exposure indices, the available data on the toxicity of Agent Orange or its constituents to humans is extremely limited. Appendix VI reviews the toxicity and risk assessments of Agent Orange and its components. majority of experimental data on humans enables a conclusion to be drawn that certain doses constitute less than a thres-The Environmental Protection Agency has established an ADI (Acceptable Daily Intake) value for the herbicides used in Vietnam and for the toxic contaminant 2,3,7,8-TCDD. In the Report (Volume 2: Toxicology and General Health, 1985) of the Royal Commission on the Us a Effects of Chemical Agents on Australian Personnel in Vietnam, the Commission critically reviewed the available data and concluded that a "safe dose application" (doses absorbed by a 70 Kg human) was 350 mg for either 2,4-D or 2,4,5-T, and 8ug (microgram) for TCDD. It is also of interest to note, that in testimony before the Royal Commission of Australia, Professor Olav Axelson of Linkoping University in Sweden, considered an occupational exposure of less than 10 days to phenoxy acids and chlorophenols not to be sufficient to induce either soft tissue sarcomas or lymphomas among Swedish forestry workers. These latter studies have been the only studies so far showing a strong positive association between herbicide exposure and these cancers.

As to the animal data, the Science Subpanel concluded that while available animal data may be of importance in establishing prospective standards for human exposure to Agent Orange and its individual components, it offers a doubtful basis for determining retrospectively whether a particular past exposure was sufficient to produce toxic effects in man.

From the above discussion, it should be apparent that the Science Subpanel was unable to determine what quantity of Agent Orange, as used in Vietnam, could have been expected to induce detectable health effects. The "safe dose levels" reported by the Australian Royal Commission Report are clearly above most of the potential exposure scenarios reported in Appendix VI.

3. What are the quantities of Agent Orange and its components which are expected to be found at the time of and at various times and distances following different methods of application?

Appendix IV of this report (the appendix on modeling of exposure probabilities) is a comprehensive treatise on the equipment used for dissemination of herbicides in Vietnam, the impact of operational conditions in affecting exposures, and a discussion of the likely environmental fate of TCDD in various exposure scenarios. Additional exposure scenarios that were discussed by the Subpanel are provided in Appendix VI. The calculations of the quantities of Agent Orange and its associated TCDD which are expected to be found at the time of and at various times and distances following application depend upon a series of assumptions. We use assumptions because we do not have actual

data collected from the field environment. Any calculation includes numerous assumptions, many of which will significantly (orders of magnitude) alter the outcome. Bricker, in his report (Appendix IV) notes 9 different factors that must be considered in just assessing herbicide spray drift (page 14). Despite all these different assumptions, the most likely scenario for the major application method, namely from the Ranch Hand C-123 (fixed-wing) aircraft, suggest that the expected initial concentration directly in the swath path area (no jungle canopy assumed) would be 3.9 gm/m² of herbicide esters and 7.8 ug/m² of TCDD (pg 17). These data are remarkedly close to those discussed by the Australian Royal commission, e.g., for TCDD - 5.8 ug/m². The Commission used these estimates in the following manner:

Constituent	Theoretical Dose* Application from Exposure	Safe Dose* Application
2,4-D	14.16 mg**	350 mg
2,4,5-T	14.83 mg**	350 mg
TCDD	0.58 ug***	8 ug

^{*}Dose calculations assume the weight of the exposed person to be 70 kg.

The Royal Commission concluded that on the basis of the above material that "even the most extreme theoretical exposure in Vietnam would have subjected a person so exposed to a dose of Agent Orange well within the exposure considered to have been safe".

The Science Subpanel neither agreed nor disagreed with such statements. It is clear, however, that the selection of an exposed cohort cannot depend upon unverifiable exposure scenarios.

4. How many encounters, and of what type, could provide a meaningful exposure to Agent Orange and its associated TCDD?

At the time of spraying, substantial contact with the liquid spray must be considered a potentially meaningful exposure. Therefore, individuals known to have been within 500 meters at the time of herbicide application on at least one occasion might be included among the exposed, since they could be exposed by both dermal contact and inhalation. The literature suggests that on subsequent days, the amount of TCDD would be markedly less due to photodegradation and would almost be

^{**}Gross rate per square meter X 0.01

^{***}Gross rate per square meter X 0.1

completely degraded by the 6th day unless it had penetrated into the ground. Although it is not possible to know with any certainty how much TCDD would be absorbed during any encounter, the Subpanel considered it to be at least theoretically possible to come in contact with a potentially toxic amount in two weeks in an area which has been heavily sprayed. Therefore, in order to include all persons who might have been exposed, 14 encounters within 2 kilometers and within 6 days might be considered to have some real potential for a meaningful exposure (the pilot study (Appendix I) addresses these parameters).

In addition to combat veterans exposed during base camp and field operations, there may be an identifiable group of persons who were directly under an emergency dump of Agent Orange. Such a situation did occur over Ben Hoa Air Base in which several hundred gallons were jettisoned at low altitude directly over the base and a number of non-combat veterans may have been exposed. Such a situation might have provided an opportunity for meaningful exposure to potentially identifiable individuals.

5. What is the accuracy of the recorded locations for herbicide sprays and military units, and, what is the average dispersion of troops around the recorded locations of company sized units? How might this affect the classification of exposure and the estimates in 4 above?

The Science Subpanel conducted a critical review of the records and an assessment of the quality control for the handling, interpretation and abstraction of the data (Appendix II, The Evaluation of Vietnam War Records). The following conclusions were important to the issues before the Subpanel:

- Only about 2% of all military records are placed in permanent storage in the National Archives. (Page 9, Appendix II)
- The Vietnam War records that were kept by the military services are in excellent to poor condition. (Page 9, Appendix II).
- * The records available for scientific scrutiny include Daily Journals, Morning Reports, Operational Reports Lessons Learned, and Situation Reports. (Page 15, Appendix II).
- For the above fundamental reports, there are other authorities which cross check the information. Each Infantry Division in Vietnam had its separate chemical detachment that reported and evaluated the evidence. The Air Force in Vietnam had a regular reporting and evaluating system of its herbicide spraying operations. Additionally, the U.S. Embassy and the Military Assistance Command, Vietnam (MACV) jointly approved each Ranch Hand spray. (Page 16, Appendix II).

- * The written Journals are as close to raw, unedited reality as one can get. "Truth is virtually an addiction in a world in close proximity to oblivion. The Journals thus deserve trustworthiness." (Page 16, Appendix II).
- Gaps arise in the records of unit locations when grid locations of companies are not given in the Daily Journal. However, company morning reports and other records are usually available to close the gap. (Page 16, Appendix II).
- Location of troops at fixed places, such as fire bases, where they are static within a protected perimeter and not subject to Ranch Hand sprays does not require the same analytic review involving the possible confluence of two mobile components; friendly aircraft and friendly troops. Time, motion and place are different ingredients in the locations puzzle when place is one of relative confinement. (Page 16, Appendix II).
- * Scrutinizing the military records invariably led to what may be termed the "Data Abstraction Procedures for the Agent Orange Study". Over 110,000 personnel files of veterans assigned to specific units for two years (1967-68) and the daily field location of these troops have been required. This has taken a painful scrubbing for abstraction from Morning Reports to match names against computer tapes and social security numbers and coordination between four general agencies: The Environmental Support Group; the Centers for Disease Control; The U.S. Army Records Component Personnel and Administration Center (RCPAC); and the National Archives Records Administration (NARA). (Page 17, Appendix II)
- "The ESG abstraction training, procedures, disciplined supervisors, and quality control of their fundamental record abstractions is an excellent model of the careful performance of dull toil." (Page 18, Appendix II).
- "It is not only the record, but who reads the record to obtain the best professional product. In evaluating the talent within the ESG to read the records, I have found it to be the best." (Page 23, Appendix II).

The Science Subpanel concluded that the U.S. Army and Joint Services Environmental Support Group has sought and obtained all military records pertinent to the use of herbicides in Vietnam. The Environmental Support Group staff is trained and qualified to have expertly reviewed and abstracted the records appropriate to exposure assessment.

The issues of frequency of encounters to areas sprayed with Agent Orange and the dispersion of troops within company-sized units were addressed in a Pilot Study conducted by the Subpanel and the Army and Joint Services Support Group.

Military records were examined by the Environmental Support Group in order to estimate the amount of daily troop dispersion and the distribution of encounters with Agent Orange applications during the period from October 1, 1966 through March 31, 1969, in Corps Tactical Zone III, Vietnam. Procedures and results of these tests are described in Appendix I. From the Pilot Study the Subpanel concluded:

After extensive review of military records during the past two years, it was apparent that the majority of veterans had never been within two kilometers of a sprayed area within a week of herbicide application. Additional pilot data reviewed at this time confirmed this finding, and the paucity of clearly exposed combat veterans makes it questionable whether a sufficient number can be assembled to conduct an epidemiological study of the type originally designed.

From a thorough review of these military records, it appears that considerable misclassification of the individual's exposure status is possible; i.e., we found no way, based on military records, to verify an individual's exposure to herbicide or dioxin. Two issues were specifically recognized as influencing the degree of misclassification:

- a. Unit Dispersion On a substantial number of days, personnel in combat units eligible for the Agent Orange Study were not located together as a unit, rather they were dispersed geographically up to 20 kilometers on the same day.
- b. Incomplete Records The most complete records for herbicide applications in Vietnam are the "HERBS TAPES," records of the missions of OPERATION RANCH HAND. These tapes, originally computerized by the National Academy of Sciences in the early 1970s, were supplemented recently by the SERVICES HERBS TAPES which provide additional data on perimeter applications (including helicopter and ground application missions). Expert opinion suggested that an unknown, but apparently large proportion of firebase perimeter spray operations were never recorded (Appendix III). The degree to which these "unrecorded" operations may have influenced exposure is unknown.

SUMMARY

Information on level of exposure would provide the strongest possible data to address the issue of health risks associated with herbicide exposure. The members of the Science Subpanel felt that such precise information cannot be assembled either for exposure from Ranch Hand spraying or perimeter spraying of firebases or base camps. Present attempts at exposure classification employ dichotomous categories and are based on the likelihood of having contact with herbicides. They do not, however, include information on levels of exposure experienced by individuals. In such a dichotomous classification scheme the only measures of dose would be the number of exposures, latency, and duration.

Similar problems exist in attempts to assess level of exposure while in the fire bases. The Subpanel members felt that levels of exposure are likely to be higher from exposure in camps than from Ranch Hand spraying, but we see little opportunity for quanitfying the level. Actual exposure levels would depend upon the level of contact directly from sprays and indirectly from contaminated surfaces. We see little opportunity for individual evaluation of either method of contact.

The available military records indicate that companies can be located rather precisely, as can deployment of squads and other units. It is not possible, however, to determine which individuals are in which deployed Subunits. The inability to precisely locate individuals in relation to Ranch Hand spray patterns would lead to exposure misclassification no matter what distance/time criteria were used. For example criteria of within 2 kilometers within 3 days of spraying has been proposed to identify companies that would be considered exposed. All persons from a company within this distance of spray tracks would be considered exposed. kilometers would seem to be a considerable distance and present little chance of exposure. Although the number of false positives could be reduced (at the expense of numbers of exposed) by a more restrictive distance criterion, precise exposure classification would never be achieved unless companies were required to be within the spray path. An equally serious problem with this approach, however, is the inability to precisely locate the whereabouts of individuals. The distance factor is based on company location, not on individual location. The dispersion of units within a company may considerably exceed the two kilometer criterion. individuals deployed far from the spray track would be considered exposed even though they would have had little or no contact with herbicide residues.

Although companies are apparently sometimes deployed as a single unit and exposure assessment could be restricted to such situation, ignoring exposure when deployed in subunits would not eliminate the misclassification associated with the situation. The assumption for such a situation would be that the average exposure for all multi-location deployments of companies are equivalent. An assumption that surely is not correct.

Exposure while in camps presents a different set of problems in developing a scale of probability of exposure. Although we can reasonably conclude that exposures occurred in camps; except for cases where applicators can be identified, we see little opportunity for distinguishing the probability of exposure among individuals while in camp. A cohort of persons spending time in camps where spraying occurred could, however, be compared with persons not in such camps, if such a referent cohort can be identified.

In summary, plans to construct a probability of exposure index based on distance and time from Ranch Hand spray patterns based on company locations would introduce misclassification. This misclassification arises from two sources: 1) Inclusion of companies without actual exposure would occur no matter how small the distance and time criteria, and 2) Members of companies would be assigned identical exposure probabilities even though deployment of some units would place them in locations where exposure was not possible. The combined effect of these two sources of misclassification is unclear, but undoubtedly they would seriously bias measures of effect toward the null and greatly reduce study power.

The Subpanel recognized the social importance of the Agent Orange health risk issue and the need to provide data that can address concerns raised by veterans. Completion of a study with poor definition of exposure, however, may not resolve the issue. In a strict scientific sense, the misclassification issue must be clearly addressed. The pilot study provided information regarding estimates of misclassification. As a consequence of that information, however, the Subpanel felt that an additional method to verify exposure is required prior to the conduct of a "scientifically valid epidemiologic study". Recent advances in analytical chemistry may make it feasible to identify chemical (e.g., 2,3,7,8-TCDD) or biological (DNA adducts) markers that will permit a more reliable exposure assessment. Appendix VII proposes one such possiblity.

Abstract -- A review is presented of the final results of a long-term field study of an ecosystem contaminated with 2,3,7,8-tetrachlorodibenzop-dioxin (TCDD). The 15 year study focuses on a unique 3.0 km military test area (Test Area C-52A, Eglin Air Force Base, Florida) that was aerialiv sprayed with 73,000 kg 2,4,5-trichlorophenoxyacetic acid (2,4,5-T) and 77,000 kg 2,4-dichlorophenoxyacetic acid (2,4-D) during the period 1962-1970. Data from the analyses of archived herbicide samples and from soil samples collected from 1970 through 1984 suggested that less than 1% of the approximately 2.8 kg TCDD disseminated on the test area persisted in the soil environment. Over the years of observations (1969-1984), approximately 341 species of organisms were observed and identified as associated with the test area. More than 300 biological samples were analyzed for TCDD and detectable residues were found in 32 different species (mammals, birds, insects, reptiles, amphibians and Examination of the ecological niches of the species positive for TCDD residue suggested that the commonality was a close relationship to contaminated soil. Studies spanning more than 50 generations of the beachmouse, Peromyscus polionotus, concluded that exposure to soil concentrations of TCDD in the range of 0.1 to 1.5 parts per billion (ppb), have had minimal effect upon the health and reproduction of this species.

Keywords -- 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD);

2,4,-Dichlorophenoxyacetic acid (2,4-D);

2,4,5-Trichlorophenoxyacetic acid (2,4,5-T);

Agent Orange; Beachmouse, Peromyscus polionotus

Abstract -- A review is presented of the final results of a long-term field study of an ecosystem contaminated with 2,3,7,8-tetrachlorodibenzop-dioxin (TCDD). The 15 year study focuses on a unique 3.0 km military test area (Test Area C-52A, Eglin Air Force Base, Florida) that was sprayed with 73,000 kg 2,4,5-trichlorophenoxyacetic (2,4,5-T) and 77,000 kg 2,4-dichlorophenoxyacetic acid (2,4-D) during the period 1962-1970. Data from the analyses of archived herbicide samples and from soil samples collected from 1970 through 1984 suggested that less than 1% of the approximately 2.8 kg TCDD disseminated on the test area persisted in the soil environment. Over the years of observations (1969-1984), approximately 341 species of organisms were observed and identified as associated with the test area. More than 300 biological samples were analyzed for TCDD and detectable residues were found in 32 different species (mammals, birds, insects, reptiles, amphibians and Examination of the ecological niches of the species positive for TCDD residue suggested that the commonality was a close relationship to contaminated soil. Studies spanning more than 50 generations of the beachmouse, Peromyscus polionotus, concluded that exposure to soil concentrations of TCDD in the range of 0.1 to 1.5 parts per billion (ppb), have had minimal effect upon the health and reproduction of this species.

Keywords -- 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD);

2,4,-Dichlorophenoxyacetic acid (2,4-D);

2,4,5-Trichlorophenoxyacetic acid (2,4,5-T);

Agent Orange; Beachmouse, Peromyscus polionotus



Washington, D.C. 20201

June 5, 1986

MEMORANDUM TO: Members, Science Panel

and Sub-panel

Domestic Policy Council

Agent Orange Working Group (AOWG)

FROM : Executive Secretary

Agent Orange Working Group

SUBJECT : Appended Sub-panel Report on Exposure

Assessments - Treat as Privileged Information

On June 4 the appended report was completed by the sub-panel on exposure assessment. At the express direction of the Chair, Domestic Policy Council, Agent Orange Working Group, all members of the Science Panel are to review this report and indicate by signature their position on the recommendation.

The 12-page report is also sent to the sub-panel members with appendices I and VII only as they already have copies of II-VI.

Members of the Science Panel are requested to return to the Chairman of the Science Panel, Dr. Carl Keller, for transmittal to the Chair, Agent Orange Working Group a roll call position with: concur, concur with provisos, or a non-concur, with appropriate initials.

We must have these by June 16, 1986 and prior to the next meeting of the Science Panel which will be Tuesday, June 17, 1986 at 10:00 a.m. in the Public Health Service Conference, Room 729-G.

The next full meeting of the Domestic Policy Council Agent Orange Working Group is yet to be arranged and you will be notified.

Dr. Peter E. M Beach







Memorandum

Date

July 10, 1986

From

Carl A. Keller, Ph.D. Chairman, Science Panel, ACWG

Subject

Review of Exposure Assessment Subpanel Report

To

Donald M. Newman Chairman, Agent Orange Working Group

At our meeting of June 17, 1986, the Science Panel discussed the Exposure Assessment Subpanel Report. I am attaching the minutes from that meeting as the Science Panel's report to the Agent Orange Working Group regarding exposure assessment for the Agent Orange Study. As noted in the minutes, our conclusions are based on the subpanel report.

Attachment

cc:

Members of the Science Panel, ACWG

MINUTES OF THE MEETING ON JUNE 17, 1986 SCIENCE PANEL OF THE AGENT GRANGE WORKING GROUP

The Science Panel met from 10:00 AM to 1:30 PM in room 729G of the Humphrey Building in Washington, D.C. Members present at the meeting are listed on the attached sign-in sheet.

The purpose of the meeting was to review the report of the exposure assessment subpanel which had been commissioned by the acting chair of the Agent Orange Working Group. The Science Panel based its conclusions on material in the report and on scientific issues alone, and did not bring in independent evidence or experts. Although it does not agree with all of the conclusions and statements in the subpanel report, the Science Panel considered the information and recommendations contained in the report, and concluded as follows:

- * Pertinent military records have been used appropriately to locate all known herbicide spraying operations and military units and to identify individuals who may have had opportunities for exposure to Agent Orange. Limitations on the assessment of exposure opportunities are due to limitations in the records themselves. It seems inevitable that veterans' opportunities for exposure to Ranch Hand defoliation missions will be over-ascertained due to troop dispersion while those with opportunities for exposure to herbicide used to clear base perimeters will be under-ascertained due to unrecorded spraying operations.
- * There is unanimous agreement that an epidemiological study of ground troops' possible exposures to Agent Orange disseminated by Operation Ranch Hand fixed-wing aerial spraying, based solely on military records, does not appear to be scientifically feasible.
- * Pilot study results indicate that veterans had more opportunities for exposure via helicopter operations and ground spraying of base perimeters than from Operation Ranch Hand defoliation missions.
- * With the exception of one member, all Science Panel members agree that the potential for misclassification of the exposure status of ground troops (from Ranch Hand spraying or otherwise) will preclude scientifically valid results from any epidemiological study based on military records alone.

- * During the meeting, the Centers for Disease Control provided the Science Panel with its concept for the "Use of Biological Samples as a Surrogate for Exposure to Agent Orange" (attached), which might be developed into a verification study. The Science Panel recognizes that the accurate measurement of current adipose tissue levels for 2,3,7,8-TCDD, as proposed by the Centers for Disease Control, may provide the only viable basis for assessing past exposure to Agent Orange. However, it is not clear how this information will be used to validate individuals' exposures, nor how military records can be used to generate exposed and unexposed cohorts for a large scale epidemiology study. The Science Panel does not object to further development of a detailed protocol, although members were divided on whether to encourage such an effort. Some feel that an attempt at verification may be useful in determining whether the Agent Orange study can go forward or not. Other opinions ranged from those who feel that the proposed validation method is most unlikely to be useful, to those who feel that it must be attempted despite uncertainty about its usefulness.
- * There is no agreement at this time whether a feasible and accurate method for validation of individual exposure status can be devised, nor on the elements of a verification study. Until a detailed protocol for a verification study is available, it will not be possible to evaluate the feasibility of any proposal for validating individual exposures.
- * As indicated previously, the results of a verification study should have a decisive influence on conducting the Agent Orange study. Therefore, the Science Panel recommends that both the Agent Orange Working Group and the Congressional Office of Technology Assessment review any proposal which may be developed for its scientific suitability, before the sponsoring agency proceeds with such a study.
- * There is unanimous agreement that if a well-designed exposure verification study fails to validate individuals' exposures as determined from military records, the Agent Orange Epidemiological Study should be discontinued.

Carl A. Keller, Chairman Science Panel, AOWG

bal a. Killer

Attachment

REPORT OF THE AOWG SCIENCE SUBPANEL June 3, 1986

APPENDIX I

METHODOLOGY AND RESULTS OF PILOT TESTS FOR AGENT ORANGE EXPOSURE AMONG VIETNAM VETERANS

Prepared by

Carl Keller, Ph.D. and Richard Christian, C.R.M.

SUMMARY OF RESULTS OF PILOT TESTS AMONG VIETNAM VETERANS

Military records were examined by the U.S. Army and Joint Services Environmental Support Group in order to estimate the amount of daily troop dispersion and the distribution of encounters with Agent Orange applications during the period from October 1, 1966 through March 31, 1969, in Corps Tactical Zone III, Vietnam. Procedures and results of these tests were as follows:

Number of Encounters

Seven Battalions were selected for this test, each consisting of five companies, making 35 companies in all. The daily locations for each of these companies were determined from existing military records and matched against all known Agent Orange applications during the designated 30-month period of the test. Matching was done for encounters within three different time-distance combinations, including:

- 1) Within 500 meters on the day of application ("Wet" Encounters)
- 2) Within 2 kilometers and within 3 days of application
- 3) Within 2 kilometers and within 6 days of application.

A summary of the numbers of encounters among the 35 companies and within each of these time-distance combinations is shown in Table I. Data are included for ranch hand (Herbs) and perimeter (Services Herbs) as well as combined (either tape) and for the cumulative combined, e.g., 5 companies had 14 or more encounters within 2 kilometers and within 6 days of an Agent Orange application. Although 5 out of 35 is 14%, this may be an overestimate of what might be found among all companies in III Corps since the 7 Battalions were chosen from among those thought to be the most likely exposed to ranch hand applications.

Among approximately 5000 veterans known to have been assigned to these seven Battalions, the number of individuals with various numbers of encounters were determined as shown in Table II. Since there are some veterans who were assigned to one of these Battalions who have not yet been identified, it is estimated that some of the proportions of men with more than a few encounters will be greater than indicated in the Table, although how much is unknown.

A more detailed list of procedures and results of the number of encounters pilot tests follow Table II in this Appendix.

Troop Dispersion

Six companies, one from each of six of the Battalions used in the other pilot tests, and six days in 1967 and 1968 were selected at random. On each of the 36 company-day combinations (six companies times six days), the recorded location for each element of the company was plotted on the appropriate topographic map of Vietnam. The distance between various elements of the same company on the same day were measured from the maps. The maximum distance between any two elements of the same company on the same day were according to the following distribution:

NUMBER OF OCCURRENCES	DISTANCE IN KILOMETERS					
17	0 (Company all in one location)					
1 "	<2					
5	2-4					
4	5-9					
5	10-19					
4	20-29					
36	6 (Average)					

TABLE I	IUMBERS	OF	COM	PANI	ES W	ITH	VARIO	ous	NUMBI	ERS	OF E	NCOU	NTER	<u> </u>	
# OF ENCOUNTER	s o	1	2	3	4	5	6	7	8	9	10	11	13	14	15+
500 M / 1 DAY															
*HERBS	33	1	1												
**SERVICES HERBS	33	2													
EITHER TAPE	31	3	1												
CUMULATIVE	35	4	1												
CUMULATIVE %		11%	3 %												
2 KMS / 3 DAYS	;														
HERBS	24	6	3	1		1									
SERVICES HERBS	17	2	7	7		1						1			
EITHER TAPE	14	5	4	3	3	4			1			ī			
CUMULATIVE	35	21	16	12	9	6	2	2	2	1	1	ī			
CUMULATIVE %	100%	60%	46%	34%	26%	17%		6%	6%	3 %	3 %	3%			
2 KMS / 6 DAYS	,														
HERBS	21	5	1	4					1	1			2		
SERVICES HERBS	17	2	2	2	4	2	3	1			ì				ì
EITHER TAPE	14	3	3	1	4		1	1	2				1	1	4
CUMULATIVE	35	21	18	15	14	10	10	9	8	6	6	6	6	5	4
CUMULATIVE %	100%	60%	51%	43%	40%	29%		26%	23%	17%	17%	17%	17%	14%	11%

TABLE II NUMBERS OF INDIVIDUALS WITH VARIOUS NUMBERS OF ENCOUNTERS # OF ENCOUNTERS 0 1 2 3 4 5 7 8 9 10 11 12 15+ 6 13

500 M / 1 DAY EITHER TAPE <4834 104+ 62 CUMULATIVE ~5000 166+ 62 CUMULATIVE % 100% 3%+ 1%

2 KMS / 3 DAYS EITHER TAPE 4360 268 157 69 47 31 27 1 3 35 CUMULATIVE ~5000 640 372 215 146 99 68 41 40 37 37 2 CUMULATIVE % 100% 13% 7% 4% 3% 2% 1% 1% 1% 1% 1 %

2 KMS / 6 DAYS 37 EITHER TAPE "4277 252 33 38 154 57 11 72 30 - 6 28 1 37 CUMULATIVE ~5000 723 471 438 400 246 189 178 106 76 70 70 42 41 100% 14% 9% 9% 8% 5% 4% 4% 2% 2% 1% 1 % 1% 1 % CUMULATIVE %

- *HERBS (refers to Computer Listing of Ranch Hand Applications, Fixed-Winged and Helicopter)
- **SERVICES HERBS (Selected Fixed-Winged, ground applications not listed on HERBS)



DEPARTMENT OF THE ARMY US ARMY & JOINT SERVICES ENVIRONMENTAL SUPPORT GROUP 1750 K STREET N.W. ROOM 210 WASHINGTON, DC 20006

REPLY TO ATTENTION TO

April 10, 1986

DAAG-ESG

ESG PILOT STUDY OF THE MAIN AGENT ORANGE EPIDEMIOLOCAL STUDY

- 1. The Science Panel, Agent Orange Working Group tasked the Environmental Support Group to perform a Pilot Study for the Congressionally mandated Agent Orange Epidemiological study. ESG was given the mission due to the concerns expressed by the Centers for Disease Control and other scientific agencies that the study had not produced enough qualified heavily exposed personnel.
- 2. There are many detailed functions in which ESG will have to perform for the Agent Orange Epidemiological Pilot Study. Those functions are listed below.
- a. CDC has provided ESG a list of Infantry Battalions that had the highest likelihood for exposure after being matched against the Ranch Hand Herbs Tape. ESG selected 6 of the units recommended-by CDC and added one additional Artillery Battalion. ESG will identify the gaps and fill in the days in which no grid coordinates were previously reported on the 7 battalions for all companies covering the period 1 October 66 to 31 March 69. This will require a new tape (gap fillers) that must be integrated with the old CDC tape to establish a complete tape with all the tracking data.
- b. When all the daily location data has been accomplished ESG will computer match the complete grid coordinate locations of each company by date against the Ranch Hand and Service Herbs Tapes to produce an exposure opportunities score using the below listed criteria.
 - 2 kilometers, 3 days
 - 2 kilometers, 6 days
- c. ESG will produce a listing for each company documenting by date sequence each herbicide encounter and type of exposure (i.e. Ranch Hand, Perimeter, Abort, Ground Spray).
- d. ESG will review morning reports to insure the veteran was in the unit and on duty in the field when a spray mission occurred. A veteran could have been in the hospital or on R & R in Bangkok, Thailand, when his unit experienced a herbicide encounter and hence would not have had an exposure opportunity.

- e. Our goal is to identify and qualify every soldier assigned to each of the 7 battalions that were selected for the study. The qualification criteria used for the Pilot Study are listed below.
 - Single tour enlistee
 - E5 or below
 - The veteran must have been in Vietnam sometime during or between 1 October 1966 to 31 March 1969 to qualify as a heavily exposed cohort.
 - Served anytime in a tracked unit. Non-exposed personnel must have served their entire tour in a tracked unit.
- 3. To date, ESG has completed filling the location gaps on all 7 battalions. Extensive quality control functions were performed on the data and quality control was initiated on the existing location data that had previously been provided CDC. This information is keypunched and is almost ready to be matched against the spray mission tapes with respect to the aforementioned time and distance requirements.
- 4. ESG has requested approximately 2,500 military personnel files from the National Archives Records Administration in St. Louis, Missouri. Since ESG has already qualified 15,900 study subjects, 5,000 will be targeted for use in the pilot study. Once the records are obtained the records will be researched and personnel data elements abstracted on each qualified exposed and non-exposed study subject.

RICHARD S. CHRISTIAN, C.R.M.

Director

HQDA, (DAAG-ESG) Room 210 1730 K St., W.W. Washington, D.C. 20008-3868

2 1 APR 1986

 $\underline{A} \ \underline{G} \ \underline{E} \ \underline{N} \ \underline{T} \qquad \underline{O} \ \underline{R} \ \underline{A} \ \underline{N} \ \underline{G} \ \underline{E} \qquad \underline{P} \ \underline{I} \ \underline{L} \ \underline{O} \ \underline{T}$

 $\underline{s} \ \underline{\mathtt{T}} \ \underline{\mathtt{U}} \ \underline{\mathtt{D}} \ \underline{\mathtt{Y}}$

AGENT ORANGE PILOT STUDY

EXPOSURES ASSESSMENT TOTALS

NUMBER OF PERSONNEL WITH EXPOSURES

BATTALIONS	2 KILOMETERS - 3 DAYS	2 KILOMETERS - 6 DAYS				
	PERSONNEL	PERSONNEL				
BATTALION #2	301	338				
BATTALION #6	150	150				
BATTALION #10	65	65 ⁻				
BATTALION #20	0	0				
BATTALION #22	106	144				
BATTALION #43	7	7				
BATTALION #50	20	23				
TOTALS	649	727				

- 1. Over 16,000 study subjects were qualified for all Battalions in the study to date.
- 2. Over 5,000 of these qualified study subjects were members of the seven (7) battalions in the Pilot Study.
- 3. Since study subjects were qualified prior to identifying the spray dates (exposure hit dates) of the units, only 700 plus subjects were provided exposures.
- 4. This Pilot Study has proven that identifying and qualifying study subjects before we know the spray or exposure hit dates of the units is a waste of time and resources.
- 5. Now that we know the spray hit dates of the battalions for the Pilot Study we can now review the Company Morning Reports to identify additional personnel who were in the units on those specific spray dates.
- 6. This procedure should be followed for the remaining battalions in the main Agent Orange Epidemiological Study.

AGENT ORANGE PILOT STUDY

UNIT EXPOSURE ASSESSMENT

83.228 60

AGENT ORANGE PILOT STUDY

UNIT EXPOSURE ASSESSMENT

BATTALION #2	2 KILOMETERS - 3 DAYS RANCH HAND SERVICES TOTAL						
	KANCH HAND	SERVICES	TOTAL				
A COMPANY	1	0	. 1				
B COMPANY	0	1 1					
C COMPANY	3	2, 5					
D COMPANY	0	0 . 0					
E COMPANY	<u> </u>	00					
TOTALS	4	3	7				
BATTALION #2	2 KILOMETERS						
4.	RANCH HAND	SERVICES	TOTAL				
A COMPANY	2	0	2				
B COMPANY	3	1 4					
C COMPANY	3	5 8					
D COMPANY	0	0 0					
E COMPANY	0,	0	0				
TOTALS	8	6	14				
BATTALION #2	UNKNOWN SP	RAYS					
,	2 KILOMETERS - 3 DAYS	2 KILOMETERS -	- 6 DAYS				
A COMPANY	2	5					
B COMPANY	0	1					
C COMPANY	3	. 5					
D COMPANY	0	0					
E COMPANY	0	0					
TOTALS	5	11					

UNIT EXPOSURE ASSESSMENT

BATTALION #6	2 KILOMETERS	SERVICES	TOTAL
A 24 mm222		•	
A BATTERY	0	11	11
B BATTERY	0	0	0
C BATTERY	. 0	1	1
D BATTERY	0 .	0	0
E BATTERY	0	0	0
TOTALS	0	12	12
BATTALION #6	2 KILOMETERS	S - 6 DAYS SERVICES	TOTAL
A BATTERY	0	19	19
B BATTERY	0	0	0
C BATTERY	0	1	1
D BATTERY	0	0	0
E BATTERY	0	0	0
TOTALS	0	20	20
BATTALION #6	UNKNOWN	SPRAYS	
	2 KILOMETERS - 3 DAYS	2 KILOMETER	S - 6 DAYS
A BATTERY	13	28	
B BATTERY	24	35	
C BATTERY	1	1	
D BATTERY	7	11	
E BATTERY	<u> </u>	0	
TOTALS	45	75	

UNIT EXPOSURE ASSESSMENT

BATTALION #10	2 KILOMETERS - 3 DAYS		
,	RANCH HAND	SERVICES	TOTAL
A TROOP	0	0	0
B TROOP	0	0	0
C TROOP	o	0	0
D TROOP	0	2	2
E TROOP	0	0	0
TOTAL	0	2	2
BATTALION #10	2 KILOMETER	RS - 6 DAYS	
	RANCH HAND	<u>SERVICES</u>	TOTAL
A TROOP	0	0	0
B TROOP	0	0	0
C TROOP	0	0	0
D TROOP	0	4	4
E TROOP	0	0	0
TOTAL	0	4	4
BATTALION #10	UNKNOWN SPR	RAYS	
	2 KILOMETERS -	3 DAYS	2 KILOMETERS - 6 DAYS
A TROOP	11		16
B TROOP	19		26
C TROOP	4		9
D TROOP	14		23
E TROOP	0		0
TOTAL	48		74

UNIT EXPOSURE ASSESSMENT

BATTALION #20	2 KILOMETERS - 3 DAYS		
	RANCH HAND	SERVICES	TOTAL
A TROOP .	.2	-2	4
B TROOP	0	0	0 -
C TROOP	. 0	5	5
D TROOP	0	3	3
E TROOP	. 0	. 0	0
TOTALS	2	10	12
BATTALION #20	2 KILOMETE RANCH HAND	ERS - 6 DAYS SERVICES	TOTAL
A TROOP	. 3	4	. 7
B TROOP	О .	o	0
C TROOP	3	10	13
D TROOP	1	5	6
E TROOP	0	0	0
TOTALS	7	19	26
BATTALION #20	unknown	SPRAY	
:	2 KILOMETERS - 3 DAYS	2 KILOMETER	S - 6 DAYS

21

22

25

8

0

76

A TROOP

B TROOP

C TROOP

D TROOP

E TROOP

TOTALS

32

28

36

11

0

107

AGENT ORANGE PILOT STUDY UNIT EXPOSURE ASSESSMENT

BATTALION #22	2 KILOMETERS - 3 DAYS		
	RANCH HAND	SERVICES	TOTAL
A COMPANY	1	3	4
B COMPANY	1	0	1
C COMPANY	1,	2	3
D COMPANY	. 0	3	3
E COMPANY	0	0	0
TOTALS	3	8	11
BATTALION #22	2 KILOME	TERS - 6 DA	YS
	RANCH HAND	SERVICES	TOTAL
A COMPANY	1	7	8
B COMPANY	1	0	1
C COMPANY	1	3	4
D COMPANY	0	4	4
E COMPANY	0	0	<u>0</u>
TOTALS	3	14	17
BATTALION #22	UNKNOWN	SPRAYS	
	2 KILOMETERS - 3 DAYS	2 KILOME	TERS - 6 DAY
A COMPANY	3		10
B COMPANY	9		15
C COMPANY	7		13
D COMPANY	5		13
E COMPANY	0	•	0
TOTALS	24		51

UNIT EXPOSURE ASSESSMENT

BATTALION #43	2 KILOMETERS - 3 DAYS		
	RANCH HAND	SERVICES	TOTAL
A COMPANY	0	2	2
B COMPANY	0	2	2
C COMPANY	1	0	1
D COMPANY	0	2	2
E COMPANY	0	0	0
TOTALS	1	6	7
BATTALION #43	2 KILOME	TERS - 6 DAYS	
	RANCH HAND	SERVICES	TOTAL
A COMPANY	0	2	2
B COMPANY	0	2	2
C COMPANY	1	0	1
D COMPANY	0	3	3
E COMPANY	0	-0	<u> </u>
TOTALS	1	7	8
BATTALION #43	UNKNOWN SPRAYS		
	2 KILOMETERS -	3 DAYS 2 H	KILOMETERS - 6 DAYS
A COMPANY	2		4
B COMPANY	o		0
C COMPANY	4		8
D COMPANY	3		4
E COMPANY	0		0
TOTALS	9		16

UNIT EXPOSURE ASSESSMENT

BATTALION #50	2 KILOMETERS - RANCH HAND	3 DAYS SERVICES	TOTALS
A COMPANY	2	3	5
B COMPANY	1	3 .	4
C COMPANY	5	3	8
D COMPANY	0	0	0
E COMPANY	2	3	5
TOTALS	10	12	22
BATTALION #50	2 KILOMETERS - RANCH HAND	6 DAYS SERVICES	TOTALS
A COMPANY	13	6	19
B COMPANY	9	6	15
C COMPANY	13	4	17
D COMPANY	0	0	0
E COMPANY	8	6	14
TOTAL	43	22	65
BATTALION #50	UNKNOWN SP	RAYS	
	2 KILOMETERS - 3 DAYS	2 KILOMETER	RS - 6 DAYS
A COMPANY	0	()
B COMPANY	0	·	
C COMPANY	0		2
D COMPANY	0	_)
E COMPANY	0		<u> </u>
TOTALS	0	(

INDIVIDUAL EXPOSURE ASSESSMENT

SCORES

INDIVIDUAL AGENT ORANGE

BATTALION #2	2 KILOMETERS - 3 DAYS	
A COMPANY	EXPOSURES	PERSONNEL
	1	75
BATTALION #2	2 KILOMETERS - 6 DAYS	
A COMPANY	EXPOSURES	PERSONNEL
•	1 2	82 24
TOTAL		106
BATTALION #2	2 KILOMETERS - 3 DAYS	•
B COMPANY	EXPOSURES	PERSONNEL
	1	102
BATTALION #2	2 KILOMETERS - 6 DAYS	
B COMPANY	EXPOSURES	PERSONNEL
	1 2 3	46 1 5
TOTAL	. 4	108
BATTALION #2	2 KILOMETERS - 3 DAYS	•
C COMPANY	EXPOSURES	PERSONNEL
	1 2 4 5	4 57 39 24
TOTAL		124
BATTALION #2	2 KILOMETERS - 6 DAYS	
C COMPANY	EXPOSURES	PERSONNEL
	1 2	4 4
	2 5 7	53
	7 8	39 24
TOTAL	-11-	124

INDIVIDUAL AGENT ORANGE

BATTALION #6	2 KILOMETERS - 3 DAYS	<u>.</u>
A COMPANY	EXPOSURES	PERSONNEL
- -		
	1	4
	. 2	1
	4 -	3
	5 6	6 27
•	7	1
	8	3
•	10	35
	11	2
	**************************************	***************************************
TOTAL	••	24
TOTAL		86
BATTALION #6	2 KILOMETERS - 6 I	DAYS
A COMPANY	EXPOSURES	PERSONNEL
	1	4
	5	1
	6	2
	7	2
	. 8	5
	11 12	27
	13	1 3
	18	35
	19	2
TOT 47		04
TOTAL		86
BATTALION #6	2 KILOMETERS - 3 L	DAYS
C COMPANY	EXPOSURES	PERSONNEL
	1	TOTAL 64
		
BATTALION #6	2 KILOMETERS - 6 I	DAYS
C COMPANY	EXPOSURES	PERSONNEL
	1	TOTAL 64

INDIVIDUAL AGENT ORANGE

BATTALION #10	2 KILOMETERS -	- 3 DAYS
	EXPOSURES	PERSONNEL
D TROOP	2	65
BATTALION #10	2 KILOMETERS - 6 DAYS	
	EXPOSURES	PERSONNEL
D TROOP	4	65

INDIVIDUAL AGENT ORANGE

EXPOSURE ASSESSMENT SCORES

BATTALION #22	2 KILOMETERS	- 3 DAYS
A COMPANY	EXPOSURES	PERSONNEL
	1 3	2
TOTAL		38
BATTALION #22	2 KILOMETERS	- 6 DAYS
A COMPANY	EXPOSURES	PERSONNEL
·	1 6 7	40 5
TOTAL	,	76
BATTALION #22	2 KILOMETERS	- 3 DAYS
B COMPANY	EXPOSURES	PERSONNEL
	. 1	I
BATTALION #22	2 KILOMETERS	- 6 DAYS
B COMPANY	EXPOSURES	PERSONNEL
	1	1

CONTINUED ON NEXT PAGE.

BATTALION #22	2 KILOMET	ers - 3 days
C COMPANY	EXPOSURES	PERSONNEL
	1 2 3	. 1 32 4
TOTAL		37
BATTALION #22	2 KILOMETI	ERS - 6 DAYS
C COMPANY	EXPOSURES	PERSONNEL
·	1 3 4	1 32 4
TOTAL		37
BATTALION #22	2 KILOMETI	ERS - 3 DAYS
D COMPANY	EXPOSURES	PERSONNEL
	2 3	1 29
TOTAL		30
BATTALION #22	2 KILOMETI	ERS - 6 DAYS
D COMPANY	EXPOSURES	PERSONNEL
	2 4	1
TOTAL		30

INDIVIDUAL AGENT ORANGE

BATTALION #43	2 KILOMETERS - 3	DAYS
	EXPOSURES	PERSONNEL
B TROOP	1	2
BATTALION #43	2 KILOMETERS - 6	DAYS
	EXPOSURES	PERSONNEL
B TROOP	1	2
BATTALION #43	2 KILOMETERS - 3	DAYS
	EXPOSURES	PERSONNEL
C TROOP	1	3
BATTALION #43	2 KILOMETERS - 6	DAYS
	EXPOSURES	PERSONNEL
C TROOP	1	3
BATTALION #43	2 KILOMETERS - 3	DAYS
·	EXPOSURES	PERSONNEL
D TROOP	1 2	1 1
TOTAL		2
BATTALION #43	2 KILOMETERS - 6	DAYS
	EXPOSURES	PERSONNEL
D TROOP	1 3	1 1
TOTAL		2

INDIVIDUAL AGENT ORANGE

EXPOSURE ASSESSMENT SCORES

BATTALION #50	2 KILOMETERS - 3 DAYS	
:	EXPOSURES	PERSONNEL
A COMPANY	1	4
	4	3
TOTAL		7
BATTALION #50	2 KILOMETERS - 6	DAYS
•	EXPOSURES	PERSONNEL
A COMPANY	2	1
	6 8	1 1
	9	4
	13	1
TOTAL		8
BATTALION #50	2 KILOMETERS - 3	DAYS
	EXPOSURES	PERSONNEL
B COMPANY	4	2 .
BATTALION #50	2 KILOMETERS - 6	DAYS
	EXPOSURES	PERSONNEL
B COMPANY	i	2
	6 9	1 2
	7	<u> </u>
TOTAL		5

CHART CONTINUED ON NEXT PAGE.

BATTALION #50	2 KILOMETERS - 3	DAYS
	EXPOSURES	PERSONNEL
C COMPANY	1	5
BATTALION #50	2 KILOMETERS - 6	DAYS
	EXPOSURES	PERSONNEL
C COMPANY	1 5 6	2 3 2
TOTAL		7
BATTALION #50	2 KILOMETERS - 3	DAYS
	EXPOSURES	PERSONNEL
E COMPANY	5	1
BATTALION #50	2 KILOMETERS - 6	DAYS
	EXPOSURES	PERSONNEL
E COMPANY	2 11	2 1
TOTAL		3

HQDA (DAAG-ESG) Room 210 1730 K St., N.W Washington, D.C. 20006

AGENT ORANGE PILOT STUDY

UNIT EXPOSURE ASSESSMENT

BATTALION #2	0.5 KIL	OMETER - 1 DAY	
	RANCH HAND	SERVICES	TOTAL
A COMPANY	0	0	0
B COMPANY	0	1	1
C COMPANY	0	0	0
D COMPANY	0	0	0
E COMPANY	0	0	0
BATTALION #6			
A BATTERY	0	2	2
B BATTERY	Ö	0	ō
C BATTERY	Ō	Ō	ŏ
D BATTERY	0	0	0
E BATTERY	0	0	0
BATTALION #10		į.	
A TROOP	0	0	0
B TROOP	0	0	0
C TROOP	0	0	0
D TROOP	0	0	0
E TROOP	0	0	0
BATTALION #20			
A TROOP	0	0	0
B TROOP	0	0	0
C TROOP	0	0 .	0
D TROOP	0	0	0
E TROOP	0	0	0
BATTALION #22			
A COMPANY	0	0	0
B COMPANY	0	0	0
C COMPANY	0	0	0
D COMPANY	0	0	0
E COMPANY	0	0	0

BATTALION #43	0.5 KILOMETER - 1 DAY		
	RANCH HAND	SERVICES	TOTAL
A COMPANY	0	. 0	0
B COMPANY	. 0	0	D
C COMPANY	0	0	Ö
D COMPANY	, 0 .	. 0	0
E COMPANY	0	- 0	0
BATTALION #50			
A COMPANY	. 1	0	1
B COMPANY	. 1	0	ī
C COMPANY	0	0	Ō
D COMPANY	0	0	Ò
E COMPANY	0	0	Ö

INDIVIDUAL AGENT ORANGE

HQDA (DAAG-ESG) Room 210 1730 K St., N.W Washington, D.C. 20006

EXPOSURE ASSESSMENT SCORES

BATTALION #2	EXPOSURES	PERSONNEL
B COMPANY	1	102
BATTALION #6	·	
A COMPANY	1 2	2 62 64

NUMBER OF PERSONNEL WITH EXPOSURES

0.5 KILOMETERS - 1 DAY

BATTALIONS	0.5 KILOMETERS - 1 DAY
BATTALION #2 BATTALION #6	102 64
	166

THERE ARE NOT ENOUGH PREVIOUSLY QUALIFIED PERSONNEL TO PROVIDE EXPOSURE OPPORTUNITY SCORES FOR BATTALION #50.

REPORT OF THE AGENT ORANGE WORKING GROUP SCIENCE SUBPANEL ON EXPOSURE ASSESSMENT JUNE 3, 1986

SUBPANEL WAS TASKED BY THE AOWG TO:

- 1. REVIEW PERTINENT INFORMATION ON EXPOSURE ASSESSMENT.
- 2. EVALUATE ADDITIONAL PILOT DATA DEVELOPED BY ESG.
- 3. EVALUATE FEASIBILITY OF A SCIENTIFICALLY VALID STUDY (I.C., BASED ON COHORT SELECTION)

AOWG SCIENCE SUBPANEL MEMBERSHIP

YOUNG, A.L., OSTP, CHAIRPERSON BARNES, D.G., EPA **BLAIR, A., NCI** BRICKER, J.G., DOD CHRISTIAN, R.S., USA **FINGERHUT, M., NIOSH** KANG, H., VA **KELLER, C., NIEHS MURRAY, J.E., USA** SHEPARD, B.M., VA LAYDE, P., CDC (OBSERVER)

1979 GAO PUBLISHED TWO REPORTS

- "HEALTH EFFECTS OF EXPOSURE TO HERBICIDE ORANGE IN SOUTH VIETNAM SHOULD BE RESOLVED" (CED-72-22)
- "U.S. GROUND TROOPS IN SOUTH VIETNAM WERE IN AREAS SPRAYED WITH HERBICIDE ORANGE" (FPCD-80-23)

THE BASIC APPROACH WAS TO SCORE VETERANS' OPPORTUNITY OF EXPOSURE BASED ON THEIR PROXIMITY TO KNOWN HERBICIDE APPLICATIONS. VETERANS' DAILY LOCATIONS WERE TO BE ABSTRACTED FROM RECORDS OF THE MEN'S UNITS.

"A MAJOR STUMBLING BLOCK IN CONDUCTING SUCH STUDIES IS THE INABILITY TO IDENTIFY A POPULATION OF GROUND TROOPS, THE NATURE AND EXTENT OF WHOSE EXPOSURE TO AGENT ORANGE CAN PLAUSIBLY BE RECONSTRUCTED OR DOCUMENTED WITH ANY DEGREE OF RELIABILITY".

JOAN BERNSTEIN, GC, HHS CHAIR, IWG 1980 STATEMENT BEFORE SENATE COMMITTEE ON VETERANS' AFFAIRS AT THE TIME IT WAS ANTICIPATED THAT LARGE NUMBERS OF VIETNAM COMBAT VETERANS HAD BEEN HEAVILY AND FREQUENTLY EXPOSED TO AGENT ORANGE. THERE WAS EVEN CONCERN THAT UNEXPOSED INDIVIDUALS WOULD BE VERY DIFFICULT TO IDENTIFY.

CDC STUDY DESIGN

- COMPARISON OF HEALTH OUTCOMES BETWEEN A COHORT OF MEN HIGHLY LIKELY EXPOSED TO AGENT ORANGE AND A COHORT OF MEN WHO HAD LITTLE OR NO EXPOSURE.
- U.S. ARMY DRAFTEES OR SINGLE TOUR ENLISTEES
- ●RANK E1—E5
- COMBAT UNITS OPERATING IN III
 CORPS, RVN, OCT 66—MAR 69.

THE NOVEMBER 1983 CDC PROTOCOL PROPOSED AN APPROACH TO ESTIMATING THE OPPORTUNITY FOR EXPOSURE TO AGENT ORANGE.

LINKAGE OF RECORDS

IN THE ABSENCE OF DIRECT
MEASUREMENTS, COHORTS WOULD BE
FORMED BASED ON A COMBINATION OF
THE DISTANCE (PROXIMITY TO AREAS
SPRAYED WITH AGENT ORANGE) AND
FREQUENCY OF ENCOUNTERS (THE NUMBER
OF TIMES DURING A PERIOD TO THE
PROXIMITY TO SPRAYED AREAS).

MILITARY RECORDS ARE SUFFICIENT TO LOCATE COMBAT BATTALIONS BY GEOGRAPHY AND TIME SERVED IN III CORPS. DAILY LOCATIONS FOR COMPANY SIZED ARMY UNITS CAN BE ABSTRACTED FROM MILITARY RECORDS. LOCATION OF VIRTUALLY ALL RECORDED HERBICIDE APPLICATIONS HAS BEEN IDENTIFIED AND COMPUTERIZED.

. :

CAN EXPOSURE CRITERIA FROM OTHER STUDIES BE APPLIED TO THE AO STUDY?

ANSWER

SCIENCE SUBPANEL CONCLUDED THAT NO USEFUL MODELS EXISTS FROM CURRENT EPIDEMIOLOGIC STUDIES.

WHAT IS THE QUANTITY OF AGENT ORANGE, AS USED IN VIETNAM, WHICH CAN BE EXPECTED TO INDUCE DETECTABLE HEALTH EFFECTS?

ANSWER

SCIENCE SUBPANEL UNABLE TO
DETERMINE QUANTITY EXPECTED TO
INDUCE DETECTABLE HEALTH EFFECTS.
HOWEVER ISSUE ALSO EXAMINED BY:

- AUSTRALIAN ROYAL COMMISSION
- SWEDISH STUDIES

WHAT QUANTITIES OF AGENT ORANGE AND TCDD EXPECTED AT THE TIME OF AND AT VARIOUS TIMES AND DISTANCES FOLLOWING DIFFERENT METHODS OF APPLICATION?

ANSWER

THE CALCULATIONS DEPEND UPON A SERIES OF ASSUMPTIONS BECAUSE WE DO NOT HAVE ACTUAL DATA COLLECTED FROM THE FIELD ENVIRONMENT.

HOW MANY ENCOUNTERS MIGHT PROVIDE A MEANINGFUL EXPOSURE TO AGENT ORANGE AND TCDD?

ANSWER

14 ENCOUNTERS WITHIN 2 KILOMETERS
AND 6 DAYS MAY HAVE SOME POTENTIAL
FOR A MEANINGFUL EXPOSURE

A LIKELY SCENARIO

70 kg PERSON, C-123 AIRCRAFT, NO JUNGLE CANOPY, 3 gal/A

29 mg/kg HERBICIDE ESTERS (THRESHOLD 350 mg/kg)

 $0.6 \mu g/kg TCDD$

(THRESHOLD 8 μ g/kg)

WHAT IS THE ACCURACY OF THE RECORDS,
THE ABSTRACTION OF RECORDS AND THE
DATA ON DISPERSION OF TROOPS AROUND
RECORDED LOCATIONS?

ANSWER TO QUESTION 5

- APPROPRIATE RECORDS OBTAINED
- DATA ABSTRACTION EXCELLENT

"IT IS NOT ONLY THE RECORD, BUT WHO READS THE RECORD TO OBTAIN THE BEST PROFESSIONAL PRODUCT. IN EVALUATING THE TALENT WITHIN ESG TO READ THE RECORDS, I HAVE FOUND IT TO BE THE BEST".

JOHN E. MURRAY, MAY 1986

NUMBER OF ENCOUNTERS (PILOT STUDY)

- OF 35 COMPANIES, 5 COMPANIES HAD 14 OR MORE ENCOUNTERS WITH 2km AND 6 DAYS.
- OF 5000 VETERANS, LESS THAN 80 FIT CRITERIA AND ONLY 723 HAVE 1 OR MORE ENCOUNTERS.

TROOP DISPERSION (PILOT STUDY) 36 COMPANY-DAY COMBINATIONS

NUMBER OF OCCURRENCES	DISTANCE (KM)
17	0 (COMPANY IN ONE
	LOCATION)
1	<2
5	2-4
4	5—9
5	10—19
4	20—29
36	6 (AVERAGE)