



Uploaded to VFC Website ~ October 2012 ~

This Document has been provided to you courtesy of Veterans-For-Change!

Feel free to pass to any veteran who might be able to use this information!

For thousands more files like this and hundreds of links to useful information, and hundreds of "Frequently Asked Questions, please go to:

[Veterans-For-Change](#)

*Veterans-For-Change is a 501(c)(3) Non-Profit Corporation
Tax ID #27-3820181*

If Veteran's don't help Veteran's, who will?

We appreciate all donations to continue to provide information and services to Veterans and their families.

https://www.paypal.com/cgi-bin/webscr?cmd=_s-xclick&hosted_button_id=WGT2M5UTB9A78

Note: VFC is not liable for source information in this document, it is merely provided as a courtesy to our members.

Item ID Number 00365

Author Shand, Charles A.

Corporate Author Department of the Air Force, Headquarters 1st Combat

Report/Article Title Typescript: Evaluation of M24 Mask for UC-123, 1 August 1968

Journal/Book Title

Year 0000

Month/Day

Color

Number of Images 2

Description Notes Alvin L. Young had this item filed under the category "Equipment - How Developed, How Used"; noted attached distribution list is missing; TAC test No. 68-1-T; Project no. 2P-18

Defense must have

DEPARTMENT OF THE AIR FORCE
Headquarters 1st Combat Applications Group (TAC)
Eglin Air Force Base, Florida, 32542

1 AUG 1968

TAC Test Order: Evaluation of M24 Mask for UC-123

TAC Test Number: 68-1-T

CAG Project Number: 2P-18

AD 837

1. INTRODUCTION: A requirement has been stated by the USAF Special Operations Force (SOF) for a protective mask to be worn by crew members of UC-123 aircraft while conducting aerial spray operations. Toxicity of many spray agents dictate that protection be provided for the eyes, face and respiratory system. The mask must be light, comfortable, compatible with safety of flight and must not interfere with performance of crew duties. The M24 Protective Assembly will be evaluated to satisfy this requirement.

2. DESCRIPTION: The M24 Assembly consists of:

- a. The M24 Aircraft Protective Mask
 - (1) Small, FSN 4240-808-8799
 - (2) Medium, FSN 4240-776-4384
 - (3) Large, FSN 4240-808-8798
- b. M7 Protective Hood, FSN 4240-021-8695
- c. M1 Coupling Device, FSN 4240-300-6457
- d. M8 Oxygen Supply Adapters, FSN 4240-848-6074
- e. M10A1 Canisters, FSN 4240-127-7186

The mask was designed for use by US Army aircrewmembers during flight and away from the aircraft to provide respiratory protection against CB agents. It has a clear plastic mono-lens and is compatible with flight equipment. The mask utilizes a hose-connected M10A1 canister and incorporates an M16 dynamic microphone to make it compatible with radio systems in aircraft. The oxygen adapter permits use of this mask with the aircraft oxygen system. The hood is made from butyl-coated nylon cloth and provides head and neck protection when affixed to the M24 mask. Operation and maintenance instructions are contained in US Army Technical Manual TM3-4240-219-15.

3. PURPOSE: The objective of this project is to evaluate the comfort, compatibility with flight safety and interference with crew duty performance of the M24 Protective Assembly.

4. SCOPE: This project will encompass a subjective in-use evaluation by members of the 4408th Combat Crew Training Squadron while conducting simulated aerial spray operations.

5. STARTING DATE: 15 August 1968

6. COMPLETION DATE: 14 September 1968

Charles A. Shand

CHARLES A. SHAND, MSgt, USAF
Test Project Officer
DRS/882-4645

1 Atch
Distribution List

James E. Chidar

JAMES E. CHIDAR, Lt Colonel, USAF
Test Project Manager
DRS/882-4645

John A. Sirney

JOHN A. SIRNEY, Colonel, USAF
Commander