

## **Uploaded to VFC Website**

~ October 2012 ~

This Document has been provided to you courtesy of Veterans-For-Change!

Feel free to pass to any veteran who might be able to use this information!

For thousands more files like this and hundreds of links to useful information, and hundreds of "Frequently Asked Questions, please go to:

# Veterans-For-Change

Veterans-For-Change is a 501(c)(3) Non-Profit Corporation Tax ID #27-3820181

If Veteran's don't help Veteran's, who will?

We appreciate all donations to continue to provide information and services to Veterans and their families.

https://www.paypal.com/cgi-bin/webscr?cmd= s-xclick&hosted button id=WGT2M5UTB9A78

Note:

VFC is not liable for source information in this document, it is merely provided as a courtesy to our members.

item <b>10 Number</b>	01654
Author	
Corporate Author	
Report/Article Title	Table: Fat Biopsy Study Cases
Journal/Book Title	
Year	0000
Month/Bay	
Color	
Number of Images	10
Descripton Nates	Lists place-mode-duration of exposure; dates & symptoms/diagnosis; occupation/subsequent toxin exposure; and family symptoms. Names of study participants are not provided.

FAT BIO	PS	Y
---------	----	---

	•		•	F A	т вторуч	<b>F</b> :
Spec.	Name and Age	Soc. Sec. J	Place-Mode-Duration Dates Exposure	Dates & Symptoms/Diagnosis	Clinical Laboratory -	·
1 (H) O	TT.	tre <u>nur</u> ie Nosti Thanu	Air Force-Cam Ruhh Bay Oct. 1967 - 13 days Noadquarters personnel No definitive exposure known	Astrocytoma-craniotomy 10/7/76-Asymptomatic 1979 "kidney condition" unknown diagnosis	llamatol- 1.iver- Renal-	
6 (II) 6.73	ヸ		Marine-Ds Naug end Phipui 1966-1968 Field and foxhole machine gunner in rice paddies Dramk from local lakes No protective gear on maneuvers. Claims mild direct exposure skin contact 6 ingustion	Pragment wound scars face, arm and thumb. Acoustic neurosmoccipital craniotomy 2/16/79, Thyroid nodulo 4/18/79. Total thyroidectomy a reimplant perathyroid Left orbital headaches 181/2 years.	Hematol- Chest X-ray- Liver- Renal-	
,8 (8) 5(2)	I		Chu Lai-Army. Gutting trails & setting camps in jungle-after spraying 2-3 days exposure-mild direct early 1970-skin contact.	Chronic ulcer, it. index fin- ger, 2-3 mths. after break- ing boer bottle in hand Pebruary 1979	Hematol- Chest X-rey- Livor- Renal-	, , , , , , , , , , , , , , , , , , ,
9 (11)			Landing zone Song Be Nay Nov. 1969. Drave water truck from lake to L. 2,	Fever & fatigue, to years Diffuse numbers and ringling of extremities, muscle	Hematol-	
0			Agents orange & white stored in the area-he drank & atc from lake water & feels water was contaminated. Atay-was in vehicle entire rime of exposure. Ingestion- mild-prolonged	ferigobility cisimed 8/9/78 not mencioned on 12/1/69. Had workup for claim of "khinitis" & "back condition" "Sax & psychistric problems".	Renal-  Electromyogram  Horve conduction studian  Huscle enzymen  Neurologic consultation	
• • •		1	.			

SECDY CASES

	5 : 1, 9 1	C A 5 1. 5				• • •	•
, ,	Consultations	Occupation Subsequent Toxin Exposure	Family Symptoms and Destrock	Hilitary Record Dara	Racord		1
		I-ray Rx. 4 Chem Rx., post craniotomy 1976 Chlorine-worked for city in well maintenance. 3 pkm, cig/da-l4yr				APC001	
ar opposite the second		Radiation Tonsils 1950 15 pks./yrs. cigarettes	Youe				
		Construction worker-no toxic axposure documented.	None Single				The state of the s
32.35						;	I seed for
Australia Company		,					Subjustable delega
	No myesthenic patter	· [	ľ				
•	End point nystagmus, bilateral						
	_		!				•

	{
Place-Mode-Duration Dates Exposure Datas & Symptoms/Diagnosis Clinical Laboratory .	1
tray-halicopter crew lany exposures bandling sulk chemical 6 epraying row helicopter in north- row nelicopter in north- Plantar wart, rt. foot readenness on PI Plantar wart, rt. foot Renal-	
ay 1970. Severe, direct. copented prolonged exposure gents orange, blue. to protective gear. Ate and drank from contuminated tequile. Skin contact, anhalation, ingestion.	Specific plays in page 1
rmy helicopter door gun- car and sprayer, 4  hreath for 2 yrs. Urinary	
erbicide loader Socfrand Frequency and meeturis 2 yrs Liver- Rach Gis 9-12 hr. Dir. Claims infertility xoosure every 4-5 days. Renal-	
rolonged, severe contact and inhalation & ingestion, Sperm Count	
months, 1968-69.  Pul. function & lung	[
licky Ankhy-Army Occasional transient butter- Mematol-	ļ
u sprayed fields-direct alcohol or somiety-frequent Liver- tild tepested exposure before Victums duty.  o sprayed area. Popular rash, makar Renal-	
o sprayed area. rapular rash, milar prominences & forchead Darmatology-	Sull grant to 1000 on 100 or
rmy-Camp Hallowsy 1978 lt. mastectomy Rematel-	The state of the s
ecimeter of demilitarized for genecomments. 200 cone. 30 contact cones, swollen cyclids Liver- xposures to aircraft and conjunctivitis.	-
praying as perimeter whervous with hand tremor unervisor. Drank water "past several years" row Bong No river in Plantar warts. Tingling only of fingers 6 tous.	- 17-

111,2111

	s <b>r</b> u b '	CASES					
	Consultations	Occupation Subsequent Toxin Exposure	Family Symptoms and Beniros Disposes	Military Record Data	Record		
		Student Hone	Grandfather died of cancer				
- ' ;	! !	12/pack years smoking	<b>.</b>			2003	
						₹.	\$1
The observation of the same		Student & construction worker	2 1/2 yrs. ago Uncle died of	Army #54829192 Vietnam #/26/66 0/28/69, Milita policeman & doc gunger.	ry		
DE PER HITERY	Alexion Bros. Hospital scan Elkgrove, ILL.			Doc. 68-May 69 Record Mame James J. Henc	neki		
	<b>-</b>	Technical equip- ment company representative	Father- 2 coronary uttacke Hotber-high blood prassure	Vietnam 1/26/70		·	
  -  - 		TP4 exposure during military duty 3/4 pk, cig./dsy saveral years Heroin & Hetbodee 3 yrs up to 4 yrs ago.	None				BURINGS WAYNES

Army scout plane pilot- belicopter. Flew through Rt. inguinal heroia. History spray on 4 occasions.  Of renal stones 1975-Patigue Liver-		
Plane & men showed visible and sick 3-5wonths. Fraumonia 2 years ago. Diarrhea 3 uths. Renalfrom spray I & III corps areas 1968-69.  Said to have had smell patch of atelectasis 1969. Spleen palpable 6 liver slightly tender. Feople working with him sise had diarrhea 6 wonting. Aching pain in themp.it. shoulder a upper arm. (shoulder injury se teemsger) Bright stool, blood 2 weeks.	belicopter. Flew chrough eprisy on 4 occasions. Plane & men showed visible noisture precipitated from spray I & III corps areas 1968-69.  Plane & men showed visible noisture precipitated from spray I & III corps areas 1968-69.  Spleen palpable & liver slightly tender. People work-ing with him also had diarrhea & vonting. Aching pain in thumb, It. shoulder & upper arm. (shoulder injury se teenager) Bright stool, blood	14 (U) , >
Army-10 exposures. Hand is prayer use on base perimeter CDCHI-field axercias in sprayed areas I month. At 6 drank in "Rarvounnese" since 1972.  I month. At 6 drank in "Rarvounnese" since 1972.  Trice paddies. Direct conteact, respiratory, ingestion. Vietnam April 66-April 70.  April 66-April 70.  Rash on legs & diarrhes in Homatol-Vivar-Liv	sprayer use on base parimeter CUCHI-field acrecise in sprayed areas I month. Ata & drank in rice paddiss. Direct contact, respiratory, ingescion. Vietnam April 66-April 70.  Sprayer use on base parimeter CUCHI-field acres of toe nalle & groin & ton. Liver-Water Contact, and the property of the parimeter of the	15 (II)
Army-Base repeatedly sprayed Dong Ha. Nov. 1967-69. Worked unprotected in aprayed areas direct contact repeatedly Possible ingestion via earing utensile 5 water Bunker guard at base.  Problems with feet with operations contracture, left great tose. Poot trauma 6 pain, rt. 2nd metatereal—cellulities foot. Dermetology consult pain repeated pain repeate	sprayed Bong Ha. Nov. 1967-68. Worked wapro- tected in sprayed areas - direct contact repeatedly. Presible intestion via esting utenells & water    Presible intestion via	0 0

1.4

.

yearonyarana Ngjayarana

----

					*
C	Occupation	Family	1		
Consultations	Subsequent Toxin Exposure	Symptoms and Diagnoses	Military Record Data	Record	
	EXPOSULG	Prognoses	Nessora Ditti		
	Lawn fortilizer	None	Atmy		
	Photographie &	I Olive	#3160029		
	form chemicals		Vietnam 5/6/68-		
	10 6 1/2 pack/		4/29/69.		
	yrs. cigarette		Melicopter pilet		r)
	Conscruction		1st squadron,		AP <sup>-</sup> . C303
	worker		9th cavalry,		. 8
			lat air cavair		,,
			div., let		<u>,                                    </u>
			battalion		₹
	1 1		40th artillery		
	1 1		108 artillery		
			Gronb.		
					<del></del>
	i	•			
	"Cleaning agents	Wife miscarried			
	Machine repair-	once between	i i		
	mon for Cater-	1969-75.	1		
	pillar Tractor		1		
	1-2 packs/day		i i		
	for 18 yrs.		1		
	"lleavy alcohol Intake"		1		
	Intake"		I I		
	lì		1 1		,
		,	1		
			<b></b>	,	
			l i		
	Pipefitter	Son born 1971			
	Но екровите	with congenital	f .		
acophytosis	toxins .	heart problems			
ities compistent		Surgery recommended	1		
obdowinal		recommended			
ometory disease					
iple healed rib			1 1		
tures.			1	•	
			1		
J	J		1 1	•	
	ļ		1		
	· [	•	1		
	· .		I		

	Spec. #	Name and Age	Soc. Sec. J	Place-Mode-Duration Dates Exposure	Pates & Symptoms/Diagnosis	T SIUPSY	· •
nasiones;	19 (L) O	·		Air Force-mixing 5 loading chemicals on aircraft and base maintenance use in hand sprayer-direct Frequent contact. Bein Not May 68-July69. Clothes aften soeked, 12-14 hrs per day. DDT-24D524T Evening showers & clothing change only protective moves.	lower extremities, increasing recently-varicose vains, bilet		The second of th
	24 (WS)			Army-spraying & drank from contaminated streams No protective moves	History of it. inguinal harni- Hamorrhoids. Leg wound in Victnas-now occasional kneo & leg swelling with exercise. Low back pain. Liver paipable i cm. below RCH		er of the control of
	25 (NS),			Army-Field installutions telephones in sprayed areas. Defoilants fell on shoulders 5 head, Harch Oct. 1969. Camp Evans Also insecticide spray contact.	Patchy dry areas of skin, back & shoulders, come & go since 9/13/79. Cholacystitis- cholacystactomy, July 79. Hypercension, fatty liver. Arthricis, Lt. knee-past injury. Peptic ulcer history-no symptoms. Hypertension 150/100.	Hematol- Liver-bxPortul fibrosis Silignoin 0.6 (Alb. 4.5) Cs 9.5 SGOT 30 LVA 141 Cholesterol 90.0 Renal-Bric scis 6.2 Upper GI-consult-lack of	tinh jacas, riig
	1			i i		Dermatology- Times	The second secon

	STUDY					
•	Consultations	Occupation Subsequent Toxin Exposure	Family Symptoms and Diagnoses	Military Record Data	Record	,
Levinic movement in property in the control of the	-	None	Копс	Alr Force \$17199136 Victoam 8/31/6 1/5/67 and 6/3/68-10/3/69 Payement emintenunce supervisor. Phu Cat Air Base.		AP*, G004
		Tailor smoking 1/2 PPD 15 yrs. 6 pack beer/day Beroin use to 3 years ago		Army #54820966 Vietnam 7/29/64 6/1/60. Wounded 3/13/61 Infantryman.		
To Ph	marked facty chang tel prot. 7.2 os 3.6 AlkFhos 121 matinine 1.2	Misetssippi-pro	j	Acmy #53411750 Claims # 25349240 Wo records at MPRC		
di	stensib111ty		1			
Ve:	raicolar scalp.					
					-	

The second of gradings and the con-

Sec.

FAT BIOFS	. ч
-----------	-----

:	· · · · · · · · · · · · · · · · · · ·				F A	T BIUF5Y	
	Spec.	Name and Age	Soc. Sec. J	Place-Mode-Duration Dates Exposure	Dates & Symptome/Diagnosis	Clinical Laboratory -	
	26 (WS)		· ·	Air Force-Chief herbicide wait-daily direct repeated	allergy to fish and IVP dye.	kemptol-	
		1 		contact, respiratory & skid "swam in it" l yr. 1968 Agents Orange, Mbite, blud	Occasional generalized skin	Chest x-ray-	
	6 <sup>74</sup>	ı		No protective gear or action.	2-3 life string year.	Renal-	Separation of the second of th
	•	I	-	,		Pormatology consult-	Walley III V. Ta Lui
48.77	27 (L)	I	Ī	Army-Plekin Aug67-Aug60	6 weeks post exposure	Newscol-	
: 4	Ņ	I	ļ	open field duty in areas sprayed-1 spraying caused actual contact. No	tingling & swelling hands & feet-stiffness fingers & toes Insomnia, now Asymauds react-	Cheut x-ray-	1
	12. <sup>1</sup>		,	protective action—aften in open jeep. Buthed in bomb craters & rivers after epraying.	ion hands & toes & weakness of extremities with hand and toe sche-bilateral limp		
	28 (L)			Army-Com Robn Boy	Presently saymptomatic	Nemacol-	
	ا ن			Saigon & Dalet & convey duty concrel highlands In open webicles passing	No PE obnormalities	Chest x-ray-	4.
	3.0 (3.7)		•	through areas, Processed quantities & ste some fruit & vegetubles from sprayed areas. No		Liver function-	
;} ;}				specific exposures, no protection. June70- Narch 71			
1	į			·		,	
	.						
1	1						•
				,	'	!	•

#### STODY CASES

	Consultations	Occupation Subsequent Toxin Exposure Artist	Family Symptoms and Diognoses None	Military Record Data  Vietnam 1/A2/67-7/7/68 Blen flom Air Base Air Force mechanic with 12th Air Combat	Š	erox.	i on oppositions for his
control of the second of the s	"Puritie Aui" un- related to Agent Ora	nge 1/2 pack cigarettes/day	None .	squadron.			
		Kone VA administratio clerk	Hother-beatu n tumor-1950 Single			***************************************	

	-						
				-	r /	LT BIOPSY	
	Spec.	Name and Age	Sec. Sec. 1	Place-Hode-Duration Dates Exposure	Dates & Symptoms/Diagnosis	Clinical Laboracory -	
Miles Park (	29 (WS)			Army-Can Rahn Bay 6 anvicose several times. Walked through recently sprayed jumgle. At a local vegetables(fresh) 1967-66 No definite direct exposure. Lived with Victamesso on local economy. No protective action.	Amebic dysentary & pleurisy for 2 months in Vietnam. Cramping abd. pains 1976 fpolycystic kidney-hypartension. Weak in am, droppin tools, sec. Buodenitid-suprapuble and parimbilical pain intermitteathy for several year. BP 150/100, Hemorrhoi with constipation.	Heurology-No shootmality	
						Naphrology-Ne absermality  Gastrointestinal-gastro- deformed decidenal bulb	via da constituidad de la consti
. 1	30 (US)			Arsy-1969,1970. Sprayed by planes 2-Januek over extensive period-ate & drank contaminated veter- fond. Chothes & skin contaminated often. Long Simbport III Corps-Truck operator for lat STRATCOM signal brigade.	Berrousness. Intermittent ski rash over arms began Vietnam cough & asthme-sem at 24th evacuation hospital Buschula-Ylatnam. How expiratory thought & history of eathms.	n Nematol-	
	34 (HS)		· .	Army-Vistnam, Jan67-Nov67 Dong Taumg & Long Ben Air mobile infantry-open fox holes. Field & balcopters in aprayed ateas-no protection. Contact, inhalstion & ingestion, direct &	Chest pain, chronic muxicty stomech pain, flushing of face, multiple lipomos all over body, charteness of breath(accessional), intermitte blutred vision with auxiety, "water blisters skin under eyoe," heart palpitations. Hypertension 140/84.	nc	

• •

Consultations	Occupation Subsequent Toxin Exposure	Yamily Symptoms and Diagnones	Military Record Data	Record		er mer
	Carpenter - Hone	"Familial enxiety"				
Phosphace 720 Porphyria	. ]	•			<b>989</b> 5	
FOLIMIAETH	·	-			L.v.	
					<b>-</b> 1₹	2.41.0% 1.11.1%
Polycystic kidney not confirmed				•		
scopy-edematous \$						;
	Tankloader in oil refinery & local fire dept. Benzine & Toluen	None listed				
		-				
	[				•	
	Carpenter-No					'ma_cc'
-	chemical exposure					
ا احد ا	ĺ					

							\$
-	Spec. 1	Name and Age	Soc. Bac. 1	Place-Hode-Duration Dates Exposure	Dates & Symptoms/Diagnosis	Clinical Laboratory -	
	5 (#)		•	No exposure defoliants.	Rt. ing. bernia Herniorrhaphy Biopsy abd. wall for 4/13/79		
55. 13 33. 13 34. 13	7 (H) 7 (H)			Air Force- No exposure defoliants.	Adenocateinema of factum Abdomino-perincal resection 4/19/79		
	17 (L) ,?,	•		Army-Black forest near Fleiku-Vietnam. Denice exposure. Worked in field 18 days as heavy equip- operator-caught between 2 jaeps, - pelvic fx.	Epigastric harnia, acute lumber strain. 100% SC for chartal, pubic 5 iliac fx. in Vietnam. Varicositios. Epigastric barniorthaphy 6 fat biopay 6/26/79. Sterile am result of fracture Several operations 6 h liadde as result of pelvic fracture.		
S. I.	18 (1.)			No exposure defoliante	Rt. ereteral lithingis 6 hypertomsion - scome extraction ereterolithotomy Abd. wall fat biopsy 6/15/79.	Hematol-Mormel Liver- Renal x-ray-Rt. hydro- hemoturia	
*	20 (L)			Army-9/14/47-7/27/51 No exposure defelients	Lt. ureterolithiasis. Ch. disc syndrome. Sack pain, discretes, vomiting, dysuria hematurin. Mist. gout 12 yro ago. Hypertension. Sliding histal hermis. Esophagitis. 7/6/79 urecarelith.	Hematol-Hbg. 15, Hct. 44.6 Liver- Renal-hemoturia,	

### CONTRUL CASES

-		Gecupation	Family	<u> </u>		<del></del>
	Consultations	Subsequent Toxin Exposure	Symptoms and Diagnoses	Military Record Pote	Record	
j Nej vere <mark>t</mark>	,,-a,	Unemployed		Service # 16725294 No record available.		
A CANAL STANLEY OF A WARRANT A STANLEY	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Unemployed 4 yrs Federal office employee before then.	·	C19310293 Air Parce Svc. 8/29/51-8/15/5; Service serial 19245470 No Vietnum svc.		324 000
Company and the street land and the street lan	rac 9,600 LO WAC		Grandfather died of cirrhosis of liver.	16981053 Vietnam 10/7/6 - 12/19/67: Machine operator 299 engineering battalion. Retired to disability 3/21/69.		
	nephrosis			14136247 WMII service Decembed 14/9/69 ?		,
in i	/BC 13,400 .			C16409483		
	rotelmria					

, a61 ...

...

					r	т в горуг	
	Spec. J	Name and Age	Soc. Sec.	Place-Mode-Buration Dates Exposure	Dates & Symptoms/Diagnosis	Clinical Laboratory -	
	21 (L)	l	,	Navy-3/18/54-1/17/58 No exposure defailants	Mon-functioning, rt. kidney (multicystic) bypertension		
	(2) (1)					Liver-creatinine 1.7	
	Ø,			ı		Renal-5,000 colonies Ecol	
02	22 (NS)			No exposure defolfants.	,		
	O						
	23 (US)			Army-duty entirely at Ft. Polk, LA. 8/68-10/71	Miatus bernia with reflux esophagitis. Missen fundo-	licmatol-Hbg. 17.0, Hec.	
	o		-	No Vietnam service.	plication & abd. wall fat blopsy 1966 & fistula 6/26/79 Broachial aethma now, Old	Chest x-ray-Mormal • Liver-	
					trauma, re. albow with pain. Obesity	Renal-	
r ja se	31 (WS)		:	Army Not exposed-military		Hematol-	
	. · ·			duty in Frankfort Germany	Pusion of hip	Chest x-ray-	
agyny allywyddi.	น			ı		Liver-	- warning
	(3)					Rensi-	
				-:			} * :
			' .				ĺ
				-			
i							

	CONTRO	LCASES				
	Consultations	Occupation Subsequent Toxin Exposure	Pawily Symptoms and Dispnoses	Military Record Data	Record	
	otherwise normal		•		,	<b>b</b> 0
	calcium 7.4					4P . COO3
The state of the s						
			·	,		
	30.4	Foremun, meat cutting Co. Denies drugs & smoking. Ho other exposure toxing.	Hone .	C67144367 Duty 8/29/68- 7/28/71		
		Sheet mctul machine operator Denius chemical exposure.				
			•			

0441200 2000 000 V

	Spec. #	Name and Age	Soc. Sac. f	Place-Hode-Duration Dates Exposure	Dates & Symptoms/Diagnosis	Clinical Laboracory -	<b>*</b>
	32 (98)			Atr Force 1963-79 Marines 1954-59	Lt. ing. hernia-Hernierrhophy 6 abd. wall fat biopsy 8/27/75	9	1
				Korea, Thailand, Philli- pines, Japan, Talwan	Ext. hemorrhoids. Dermatitis 1t. foot. arthritis 8/22/79 Merniarrhephy & abd. wall	Chest x-tay-normal	<i>:</i> <b>1</b>
	0		•		fat biopsy.	Renal-	-
		!	1			Cardiology consult-	
	. 33 (11)			No exposure defoliants.	Cholelithinsis		
	1,50		<u></u>	<b>}</b>			
**							
	·		. ]	-			· ·
	Ì						TANK THE STORY
		• •				ļ	regional act of published by the control of the Code
						Ì	
			1	•	1		

ا	Consultations	Occupation Subsequent Toxin Exposure	Family Symptoms and Diagnoses	Military Record Data	Record		=
† †		"Chronic smoker" 1 1/2 pks/day for years. "occasional" alcohol.		Lake Mead & Las Vegas during nuclear cests, 1950's.		47 0608	
CHARLES OF SERVICES	No abnormality					 Q.	(
		Auto repair shop menager.					<b>-</b>
							4 p
n year arasis							
and the second							
							į <sup>1</sup>
The state of the s	1	[	1				- 13 (196) - 14 (196)
			I				

Spec. /	Rame and Age	Soc. Sec. J	Place-Hode-Duration Dates Exposure	Dates & Symptoms/Diagnosis	Clinical Laboratory	
2 (II)			1056 hrs documented.  March 1973-77. Ecological studies in field, plot samples in field. TCDD desting studies, sita monitoring. Project Pacer No. Savere, direct, repeated, prolonged appearer plants soils, contaminated animals. Contact, inhalaction, ingestion, some protective masks, boots, coveralls, gloves-often impractical to wear nay. Worked on biodegradation and site cleanup 6 years. Navar chloracue.	No symptoms, signs or abstromalities accept question able scare, it. axilla 1973 - 246 hrs. 1974 - 212 hrs. 1975 - 64 hrs. 1976 - 65 hrs. 1977 - 340 hrs. 1978 - 106 hrs. 1979 - to April 10th-20 hrs.	Resatol- Liver- Renal-	
3 (H)			6.608 hrs. documented 1969-April 1979 (76% akin concart, 24% inhalation) severs, direct, tepeated, prolong in research where amimals were studied with TCDO. Exposed gloves & masks were used.	"Bronchiectal problems" with comments 2 yrs ago with influence-mone since. Allergic to pencillin. d 1969-2,000 hrs 1974-190 hrs. 1970-2,200 hrs 1975-100 brs. 1971- 510 hrs 1976-332 hrs. 1972- 180 hrs 1976-311 hrs. 1979-April - 37 hrs.	Hematol- Chast x-ray- Liver- Repai-	
4 B)		·	1,046 hrs. documented. 1976-1978-air, soil, & stream nampling, moving & cleaning cylinders & drus 6 days & nights abourd ship during incineration. 1976 - 138 hrs. 1978 - 3 hrs.	Occasional pariorbital anna 3 yrs. 3 moles, ektn of groin paut 10 months- similar akin .of ars. Spastic colos, pauc 10 years. ? rhausatoid arthritis.	Nematol- Livet- Renal-	

#### ATR FORCE VOLUNTEERS

6 environmental of health.
i Hajor-USAF Active duty Research, occupational i environmental health.
of Major-USAF  Active duty of Research, occupational b environmental health,

The section of the se