

Uploaded to the VFC Website



This Document has been provided to you courtesy of Veterans-For-Change!

Feel free to pass to any veteran who might be able to use this information!

For thousands more files like this and hundreds of links to useful information, and hundreds of "Frequently Asked Questions, please go to:

Veterans-For-Change

If Veterans don't help Veterans, who will?

Note:

VFC is not liable for source information in this document, it is merely provided as a courtesy to our members & subscribers.



TOXICOLOGICAL PROFILE FOR ETHYLBENZENE

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Agency for Toxic Substances and Disease Registry

November 2010

ETHYLBENZENE

DISCLAIMER

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

ETHYLBENZENE iii

UPDATE STATEMENT

A Toxicological Profile for Ethylbenzene, Draft for Public Comment was released in October 2007. This edition supersedes any previously released draft or final profile.

Toxicological profiles are revised and republished as necessary. For information regarding the update status of previously released profiles, contact ATSDR at:

Agency for Toxic Substances and Disease Registry
Division of Toxicology and Environmental Medicine/Applied Toxicology Branch
1600 Clifton Road NE
Mailstop F-62
Atlanta, Georgia 30333

ETHYLBENZENE

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for these toxic substances described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a public health statement that describes, in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health are identified by ATSDR.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a toxic substance to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staffs of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Thomas R. Frieden, M.D., M.P.H.

Administrator

Agency for Toxic Substances and

Disease Registry

*Legislative Background

The toxicological profiles are developed under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended (CERCLA or Superfund). CERCLA section 104(i)(1) directs the Administrator of ATSDR to "...effectuate and implement the health related authorities" of the statute. This includes the preparation of toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list. In addition, ATSDR has the authority to prepare toxicological profiles for substances not found at sites on the National Priorities List, in an effort to "...establish and maintain inventory of literature, research, and studies on the health effects of toxic substances" under CERCLA Section 104(i)(1)(B), to respond to requests for consultation under section 104(i)(4), and as otherwise necessary to support the site-specific response actions conducted by ATSDR.

ETHYLBENZENE vii

QUICK REFERENCE FOR HEALTH CARE PROVIDERS

Toxicological Profiles are a unique compilation of toxicological information on a given hazardous substance. Each profile reflects a comprehensive and extensive evaluation, summary, and interpretation of available toxicologic and epidemiologic information on a substance. Health care providers treating patients potentially exposed to hazardous substances will find the following information helpful for fast answers to often-asked questions.

Primary Chapters/Sections of Interest

Chapter 1: Public Health Statement: The Public Health Statement can be a useful tool for educating patients about possible exposure to a hazardous substance. It explains a substance's relevant toxicologic properties in a nontechnical, question-and-answer format, and it includes a review of the general health effects observed following exposure.

- **Chapter 2: Relevance to Public Health:** The Relevance to Public Health Section evaluates, interprets, and assesses the significance of toxicity data to human health.
- Chapter 3: Health Effects: Specific health effects of a given hazardous compound are reported by type of health effect (death, systemic, immunologic, reproductive), by route of exposure, and by length of exposure (acute, intermediate, and chronic). In addition, both human and animal studies are reported in this section.

NOTE: Not all health effects reported in this section are necessarily observed in the clinical setting. Please refer to the Public Health Statement to identify general health effects observed following exposure.

Pediatrics: Four new sections have been added to each Toxicological Profile to address child health issues:

Section 1.6 How Can (Chemical X) Affect Children?

How Can Families Reduce the Risk of Exposure to (Chemical X)? Section 1.7

Section 3.7 Children's Susceptibility

Section 6.6 **Exposures of Children**

Other Sections of Interest:

Biomarkers of Exposure and Effect Section 3.8 Section 3.11 **Methods for Reducing Toxic Effects**

ATSDR Information Center

Phone: 1-800-CDC-INFO (800-232-4636) or 1-888-232-6348 (TTY) **Fax:** (770) 488-4178

E-mail: cdcinfo@cdc.gov *Internet*: http://www.atsdr.cdc.gov

The following additional material can be ordered through the ATSDR Information Center:

Case Studies in Environmental Medicine: Taking an Exposure History—The importance of taking an exposure history and how to conduct one are described, and an example of a thorough exposure history is provided. Other case studies of interest include Reproductive and Developmental Hazards; Skin Lesions and Environmental Exposures; Cholinesterase-Inhibiting Pesticide *Toxicity*; and numerous chemical-specific case studies.

ETHYLBENZENE viii

Managing Hazardous Materials Incidents is a three-volume set of recommendations for on-scene (prehospital) and hospital medical management of patients exposed during a hazardous materials incident. Volumes I and II are planning guides to assist first responders and hospital emergency department personnel in planning for incidents that involve hazardous materials. Volume III— Medical Management Guidelines for Acute Chemical Exposures—is a guide for health care professionals treating patients exposed to hazardous materials.

Fact Sheets (ToxFAQs) provide answers to frequently asked questions about toxic substances.

Other Agencies and Organizations

- The National Center for Environmental Health (NCEH) focuses on preventing or controlling disease, injury, and disability related to the interactions between people and their environment outside the workplace. Contact: NCEH, Mailstop F-29, 4770 Buford Highway, NE, Atlanta, GA 30341-3724 • Phone: 770-488-7000 • FAX: 770-488-7015.
- The National Institute for Occupational Safety and Health (NIOSH) conducts research on occupational diseases and injuries, responds to requests for assistance by investigating problems of health and safety in the workplace, recommends standards to the Occupational Safety and Health Administration (OSHA) and the Mine Safety and Health Administration (MSHA), and trains professionals in occupational safety and health. Contact: NIOSH, 200 Independence Avenue, SW, Washington, DC 20201 • Phone: 800-356-4674 or NIOSH Technical Information Branch, Robert A. Taft Laboratory, Mailstop C-19, 4676 Columbia Parkway, Cincinnati, OH 45226-1998 • Phone: 800-35-NIOSH.
- The National Institute of Environmental Health Sciences (NIEHS) is the principal federal agency for biomedical research on the effects of chemical, physical, and biologic environmental agents on human health and well-being. Contact: NIEHS, PO Box 12233, 104 T.W. Alexander Drive, Research Triangle Park, NC 27709 • Phone: 919-541-3212.

Referrals

- The Association of Occupational and Environmental Clinics (AOEC) has developed a network of clinics in the United States to provide expertise in occupational and environmental issues. Contact: AOEC, 1010 Vermont Avenue, NW, #513, Washington, DC 20005 • Phone: 202-347-4976 • FAX: 202-347-4950 • e-mail: AOEC@AOEC.ORG • Web Page: http://www.aoec.org/.
- The American College of Occupational and Environmental Medicine (ACOEM) is an association of physicians and other health care providers specializing in the field of occupational and environmental medicine. Contact: ACOEM, 25 Northwest Point Boulevard, Suite 700, Elk Grove Village, IL 60007-1030 • Phone: 847-818-1800 • FAX: 847-818-9266.

ETHYLBENZENE

CONTRIBUTORS

CHEMICAL MANAGER(S)/AUTHOR(S):

Jessilynn Taylor, M.S.
Henry Abadin, M.S.P.H.
Heraline Hicks
Oscar Tarrago, M.D., M.P.H.
Diana Cronin
ATSDR, Division of Toxicology and Environmental Medicine, Atlanta, GA

Julie M. Klotzbach, Ph.D., Mario Citra, Ph.D., Gary Diamond, Ph.D., Lisa Ingerman, Ph.D., DABT, Antonio Quiñones-Rivera, Ph.D. SRC, Inc., North Syracuse, NY

THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

- 1. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying end points.
- 2. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific Minimal Risk Levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.
- 3. Data Needs Review. The Applied Toxicology Branch reviews data needs sections to assure consistency across profiles and adherence to instructions in the Guidance.
- 4. Green Border Review. Green Border review assures the consistency with ATSDR policy.

ETHYLBENZENE x

ETHYLBENZENE x

PEER REVIEW

A peer review panel was assembled for ethylbenzene. The panel consisted of the following members:

Draft for Public Comment:

- 1. John DeSesso, Ph.D., Senior Fellow, Noblis, Falls Church, VA;
- 2. James McDougal, Ph.D., Professor and Director of Toxicology Research, Boonshoft School of Medicine, Wright State University, Department of Pharmacology and Toxicology, Dayton, OH;
- 3. Andrew Salmon, Ph.D., Senior Toxicologist and Chief, Air Toxicology and Risk Assessment Unit, Office of Environmental Health Hazard Assessment, California Environmental Protection Agency, Oakland, CA.

Revised Minimal Risk Levels:

- 4. John DeSesso, Ph.D., Senior Fellow, Noblis, Falls Church, VA;
- 5. Brent Finley, Ph.D., DABT, Principal Health Scientist and Vice President, ChemRisk, San Francisco, CA;
- 6. Andrew Salmon, Ph.D., Senior Toxicologist and Chief, Air Toxicology and Risk Assessment Unit, Office of Environmental Health Hazard Assessment, California Environmental Protection Agency, Oakland, CA.

These experts collectively have knowledge of ethylbenzene's physical and chemical properties, toxicokinetics, key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

ETHYLBENZENE xii

CONTENTS

UPD	ATE STA	TEMENT	iii
FOR	EWORD.		v
QUI	CK REFE	RENCE FOR HEALTH CARE PROVIDERS	Vii
CON	TRIBUTO	DRS	ix
PEE	R REVIEV	V	xi
CON	ITENTS		xiii
LIST	OF FIGU	RES	xvii
LIST	OF TAB	LES	xix
1 D	IIDI IC III		1
1. P		EALTH STATEMENT I IS ETHYLBENZENE?	
1.1		THAPPENS TO ETHYLBENZENE WHEN IT ENTERS THE	1
1.2		RONMENT?	2
1.3		MIGHT I BE EXPOSED TO ETHYLBENZENE?	2
1.3		CAN ETHYLBENZENE ENTER AND LEAVE MY BODY?	
1.4		CAN ETHYLBENZENE ENTER AND LEAVE MT BODT?	
1.6		CAN ETHYLBENZENE AFFECT CHILDREN?	
1.7		CAN FAMILIES REDUCE THE RISK OF EXPOSURE TO	4
1./		LBENZENE?	5
1.8		ERE A MEDICAL TEST TO DETERMINE WHETHER I HAVE BEEN	
1.0		SED TO ETHYLBENZENE?	
1.9		RECOMMENDATIONS HAS THE FEDERAL GOVERNMENT	0
1.)		E TO PROTECT HUMAN HEALTH?	6
1 1		RE CAN I GET MORE INFORMATION?	
1.1	o willing	LE CHAT GET MOTE IN COMMITTION.	
2. R	ELEVAN	CE TO PUBLIC HEALTH	9
2.1	BACK	GROUND AND ENVIRONMENTAL EXPOSURES TO	
	ETHY	LBENZENE IN THE UNITED STATES	9
2.2		1ARY OF HEALTH EFFECTS	
2.3		MAL RISK LEVELS (MRLs)	
3. H	EALTH E	FFECTS	33
3.1	INTRO	DDUCTION	33
3.2	2 DISCU	JSSION OF HEALTH EFFECTS BY ROUTE OF EXPOSURE	33
3	3.2.1 Inl	nalation Exposure	34
	3.2.1.1	Death	34
	3.2.1.2	Systemic Effects	
	3.2.1.3	Immunological and Lymphoreticular Effects	
	3.2.1.4	Neurological Effects	
	3.2.1.5	Reproductive Effects	
	3.2.1.6	Developmental Effects	
	3.2.1.7	Cancer	72

3.2.2 Oral 1	Exposure	74
	Death	
3.2.2.2 S	ystemic Effects	74
3.2.2.3 In	mmunological and Lymphoreticular Effects	82
	Jeurological Effects	
3.2.2.5 R	leproductive Effects	83
3.2.2.6 D	Developmental Effects	84
3.2.2.7 C	'ancer	84
3.2.3 Derm	al Exposure	84
3.2.3.1 E	Peath	84
3.2.3.2 S	ystemic Effects	84
3.2.3.3 In	mmunological and Lymphoreticular Effects	87
3.2.3.4 N	Jeurological Effects	87
3.2.3.5 R	leproductive Effects	87
3.2.3.6 E	Developmental Effects	87
3.2.3.7 C	Cancer	87
3.3 GENOTO	OXICITY	87
3.4 TOXICO	KINETICS	91
3.4.1 Abso	rption	92
3.4.1.1 In	nhalation Exposure	92
3.4.1.2 C	Oral Exposure	93
3.4.1.3 D	Oermal Exposure	94
3.4.2 Distri	bution	95
3.4.2.1 In	nhalation Exposure	95
3.4.2.2 C	Oral Exposure	96
3.4.2.3 D	Oermal Exposure	96
3.4.3 Meta	bolism	96
3.4.4 Elimi	nation and Excretion	100
3.4.4.1 In	nhalation Exposure	100
	Oral Exposure	
	Permal Exposure	103
3.4.5 Physi	ologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD)	
	els	
	NISMS OF ACTION	
	nacokinetic Mechanisms	
	anisms of Toxicity	
	al-to-Human Extrapolations	
	TES MEDIATED THROUGH THE NEUROENDOCRINE AXIS	
3.7 CHILDR	EN'S SUSCEPTIBILITY	126
	KERS OF EXPOSURE AND EFFECT	
	arkers Used to Identify or Quantify Exposure to Ethylbenzene	
	arkers Used to Characterize Effects Caused by Ethylbenzene	
	CTIONS WITH OTHER CHEMICALS	
3.10 POPULA	TIONS THAT ARE UNUSUALLY SUSCEPTIBLE	131

ETHYLBENZENE xv

3.11 METHODS FOR REDUCING TOXIC EFFECTS	132
3.11.1 Reducing Peak Absorption Following Exposure	132
3.11.2 Reducing Body Burden	
3.11.3 Interfering with the Mechanism of Action for Toxic Effects	133
3.12 ADEQUACY OF THE DATABASE	
3.12.1 Existing Information on Health Effects of Ethylbenzene	134
3.12.2 Identification of Data Needs	
3.12.3 Ongoing Studies	143
4. CHEMICAL AND PHYSICAL INFORMATION	147
4.1 CHEMICAL IDENTITY	
4.2 PHYSICAL AND CHEMICAL PROPERTIES	147
5. PRODUCTION, IMPORT/EXPORT, USE, AND DISPOSAL	
5.1 PRODUCTION	
5.2 IMPORT/EXPORT	
5.3 USE	156
5.4 DISPOSAL	156
6. POTENTIAL FOR HUMAN EXPOSURE	
6.1 OVERVIEW	
6.2 RELEASES TO THE ENVIRONMENT	
6.2.1 Air	
6.2.2 Water	
6.2.3 Soil	
6.3 ENVIRONMENTAL FATE	
6.3.1 Transport and Partitioning	
6.3.2 Transformation and Degradation	
6.3.2.1 Air	
6.3.2.2 Water	
6.3.2.3 Sediment and Soil	
6.4 LEVELS MONITORED OR ESTIMATED IN THE ENVIRONMENT	
6.4.1 Air	
6.4.2 Water	
6.4.3 Sediment and Soil	
6.4.4 Other Environmental Media	
6.5 GENERAL POPULATION AND OCCUPATIONAL EXPOSURE	
6.6 EXPOSURES OF CHILDREN	
6.7 POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	
6.8 ADEQUACY OF THE DATABASE	
6.8.1 Identification of Data Needs	
6.8.2 Ongoing Studies	197
7. ANALYTICAL METHODS	
7.1 BIOLOGICAL MATERIALS	
7.2 ENVIRONMENTAL SAMPLES	203

ETHYLBENZENE xvi

7.3 ADEQUACY OF THE DATABASE	209
7.3.1 Identification of Data Needs	
7.3.2 Ongoing Studies	
8. REGULATIONS, ADVISORIES, AND GUIDELINES	215
9. REFERENCES	221
10. GLOSSARY	255
APPENDICES	
A. ATSDR MINIMAL RISK LEVELS AND WORKSHEETS	A-1
B. USER'S GUIDE	B-1
C. ACRONYMS, ABBREVIATIONS, AND SYMBOLS	
D. INDEX	

ETHYLBENZENE xvii

LIST OF FIGURES

3-1.	Levels of Significant Exposure to Ethylbenzene - Inhalation	55
3-2.	Levels of Significant Exposure to Ethylbenzene - Oral	79
3-3.	Metabolic Scheme for Ethylbenzene in Humans	97
3-4.	Conceptual Representation of a Physiologically Based Pharmacokinetic (PBPK) Model for a Hypothetical Chemical Substance	. 106
3-5.	Schematic Representation of the Model of Dermal Absorption	. 119
3-6.	Existing Information on Health Effects of Ethylbenzene	. 135
6-1.	Frequency of NPL Sites with Ethylbenzene Contamination	. 160
6-2.	Major Degradation Pathways for Ethylbenzene in the Atmosphere	. 171
6-3.	Major Degradation Pathways for Ethylbenzene in Water, Sediment, and Soil	. 172

ETHYLBENZENE xviii

ETHYLBENZENE xix

LIST OF TABLES

2-1.	Human Equivalent Concentrations (HECs) for CAP Threshold Shifts	19
2-2.	Human Equivalent Concentrations (HECs) for Auditory Effects in Sprague-Dawley Rats Exposed to Ethylbenzene 6 Hours/Day, 6 Days/Week for 4 or 13 Weeks	22
2-3.	Internal Dose Metrics for Male and Female F344/N Rats Exposed to Ethylbenzene 6 Hours/Day, 5 Days/Week for 104 Weeks	25
2-4.	Effects on Serum Liver Enzymes, Liver Weights, and Liver Histopathology in Male and Female Rats Exposed to Oral Ethylbenzene for 13 Weeks	28
2-5.	Benchmark Doses and Human Equivalent Doses for Liver Effects Using Arterial Ethylbenzene Concentration (MCL) Dose Metric	30
2-6.	Benchmark Doses (BMDs) and Human Equivalent Doses (HEDs) for Liver Effects Using MRAMKL Internal Dose Metric	31
3-1.	Levels of Significant Exposure to Ethylbenzene - Inhalation	36
3-2.	Levels of Significant Exposure to Ethylbenzene - Oral	75
3-3.	Levels of Significant Exposure to Ethylbenzene - Dermal	86
3-4.	Genotoxicity of Ethylbenzene In Vivo.	88
3-5.	Genotoxicity of Ethylbenzene In Vitro	89
3-6.	Parameter Values for Tardif et al. (1997) Ethylbenzene PBPK Models	108
3-7.	Parameter Values for Nong et al. (2007) Ethylbenzene Mouse Physiologically-based Pharmacokinetic Model	112
3-8.	Parameter Values for Dennison et al. (2003) Ethylbenzene PBPK Model	116
3-9.	Parameters Used in the Shatkin and Brown PBPK Model of Dermal Absorption of Ethylbenzene	120
3-10	Ongoing Studies on Ethylbenzene	144
4-1.	Chemical Identity of Ethylbenzene	148
4-2.	Physical and Chemical Properties of Ethylbenzene	149
5-1.	Ethylbenzene Production in the United States from 1983 to 2005	152

ETHYLBENZENE xx

5-2.	Facilities that Produce, Process, or Use Ethylbenzene	. 153
5-3.	Manufacturers and Annual Production Capacity of Ethylbenzene	. 155
6-1.	Releases to the Environment from Facilities that Produce, Process, or Use Ethylbenzene	. 163
6-2.	Ethylbenzene Concentrations in Ambient Air Samples Collected in the United States	. 180
6-3.	Distribution of Blood Ethylbenzene Concentrations in Children (ng/mL)	. 192
6-4.	Ongoing Research Regarding the Environmental Fate and Exposure to Ethylbenzene	. 198
7-1.	Analytical Methods for Determining Ethylbenzene in Biological Samples	. 200
7-2.	Analytical Methods for Determining Ethylbenzene in Environmental Samples	. 204
7-3.	Analytical Methods for Determining Biomarkers of Ethylbenzene in Biological Materials	. 211
7-4.	Analytical Methods for Determining Environmental Degradation Products of Ethylbenzene	. 213
8-1.	Regulations, Advisories, and Guidelines Applicable to Ethylbenzene	. 217